

A provisional Revised Auchenorrhyncha Checklist for Cheshire & Lancashire

"Little need be said—indeed, little can be said—by way of introduction, the Hemiptera of these two counties having received very slight attention from entomologists; and this being true of the Heteroptera, what shall be said concerning the Homoptera, which have been the recipients of still less notice? The present list serves, if no other purpose, to emphasise how little has been and how much still remains to be done in this most interesting order."

So began Oscar Whittaker's introduction to A Preliminary Catalogue Of The Hemiptera - Heteroptera of Lancashire and Cheshire (1906). His Preliminary Catalogue of Hemiptera – Homoptera was published two years later (Whittaker, 1908).

The first list of Homoptera appears to be by Benjamin Cooke (1882) which listed 53 species based on his own records. This was followed by Whittaker's which ran to 85 species. In addition to Cooke's and Whittaker's records there are only two other acknowledged contributors. The latest list that I am aware of was prepared more than 90 years ago by Harry Britten (1930) and details 151 species.

As identification resources and training have become more accessible many more people have recorded these delightful insects. The time seems right to update Britten's 1930 list.

Checklists

This revision includes 267 species across the three vice-counties. There are records for 275 species but 8 of these are regarded as doubtful or incorrect and need further investigation. This represents about 65% of the Auchenorrhyncha currently accepted as British and Irish species.

Two listings of the checklist are provided. The first is in the systematic order used in Wilson et al (2015). The second is in alphabetic order. Each taxon name is followed by three groups of columns for each of the three vice-counties. These provide:

- the year it was last recorded;
- the number of monads in which it has been recorded;
- the number of records.

These are followed by a column referencing any notes for that species and, finally, the National status for the species.

Methodology

To prepare the document records have been received from the Auchenorrhyncha Recording Scheme, National Biodiversity Network, the four Local Record Centres that cover the two counties, individual recorders, iRecord, the card index held at Manchester University, and papers published in various journals. A full list of sources can be found later in the document (page 28).

Taxonomic Names

Since Cooke's checklist there have been many changes to the taxonomic names of species. A list of the original published names and their current names can be found later in the document (page 31).

Number of Monads

To determine the number of monads it has been necessary to process records made with a grid reference at a lower precision than monad. The following approach has been taken:

Where the grid reference includes a monad for another record whose grid reference is at monad or higher precision, it has been treated as within the same monad; otherwise it has been added to the count as a single monad.

Number of Records

Use of multiple sources has required the elimination of duplicate records. Records were identified as duplicates if all the following conditions were met:

1. Made by the same recorder;
2. Located at the same grid reference or at different precisions of grid reference where the grid reference is within the same monad as one of the other records;
3. Recorded on the same date (or date range) or if the date of a record is within the date range of another.

In addition to the conditions set out above, a record with no recorder or “anon” specified was treated as a duplicate if there was a further record meeting conditions 2 and 3 above.

This approach may have led to the elimination of some genuine records and inclusion of some when different sources have recorded the same location with a different grid reference, but this approach seemed the most straightforward.

Unconfirmed records have not been included but their occurrence has been acknowledged in the notes where they may impact the checklist.

The latest set of records included were downloaded from iRecord on 8th August 2023.

Acknowledgement

Thank you to everyone who has provided or contributed to these records; to Tanyptera Trust who facilitated a good deal of the record gathering and to the National Recorder, Alan Stewart, for checking my attempts to resolve taxonomic name changes and his advice.

Systematic List

Taxon	VC58			VC59			VC60			Notes	National Status
	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded		
FULGOROMORPHA											
CIXIIDAE											
Oecleini											
<i>TRIGONOCRANUS</i> Fieber, 1875											
<i>emmeae</i> Fieber, 1876							1979	3	5		Notable B
Cixiini											
CIXIUS Latreille, 1804											
<i>cunicularius</i> (Linnaeus, 1767)	1959	4	7	2022	3	5	2020	5	13	1	Local
<i>distinguendus</i> Kirschbaum, 1868	2020	4	4	1941	3	3	2011	1	7		Common
<i>nervosus</i> (Linnaeus, 1758)	2023	30	44	2022	24	48	2022	10	12		Common
<i>similis</i> Kirschbaum, 1868	2019	8	8								Local
<i>simplex</i> (Herrich-Schäffer, 1835)	1937	1	1								Local
TACHYCIXIUS W. Wagner, 1939											
<i>pilosus</i> (Olivier, 1791)	2023	17	37	2022	28	51	2023	5	21		Common
DELPHACIDAE											
Kelisinae											
<i>ANAKELISIA</i> W. Wagner, 1963											
<i>perspicillata</i> (Boheman, 1845)							1933	1	1		Local
KELISIA Fieber, 1866											
<i>guttula</i> (Germar, 1818)	1922	1	1	2000	6	8	2021	2	3		Common
<i>guttulifera</i> (Kirschbaum, 1868)				1980	3	3					Local
<i>punctulum</i> (Kirschbaum, 1868)	1933	1	1	1987	3	3	1933	1	1		Local
<i>ribauti</i> W. Wagner, 1938							2008	1	1		Local
<i>sabulicola</i> W. Wagner, 1952	1979	1	1	1980	7	7					Local
<i>vittipennis</i> (J. Sahlberg, 1868)	2020	4	5	2020	6	7	2020	3	3	2	Common
Stenocraninae											
<i>STENOCRANUS</i> Fieber, 1866											
<i>longipennis</i> (Curtis, 1837)	2005	4	5								Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>major</i> (Kirschbaum, 1868)	2021	2	16	2021	6	15					Local
<i>minutus</i> (Fabricius, 1787)	2022	5	7	2022	24	43	2020	1	1		Common
Delphacinae											
<i>CHLORIONA</i> Fieber, 1866											
<i>dorsata</i> Edwards, 1898							1979	1	1		Notable B
<i>glaucescens</i> Fieber, 1866	2021	2	2				2018	2	3		Common
<i>smaragdula</i> (Stål, 1853)	1929	1	1	2019	1	2					Common
<i>unicolor</i> (Herrich-Schäffer, 1835)				1979	3	3	1979	1	1		Common
CONOMELUS Fieber, 1866											
<i>anceps</i> (Germar, 1821)	2022	34	52	2022	23	77	2022	8	9		Common
CRiomorphus Curtis, 1831											
<i>albomarginatus</i> Curtis, 1833	2021	4	6	2023	17	34	2023	4	4		Common
DELPHACINUS Fieber, 1866											
<i>mesomelas</i> (Boheman, 1850)	1960	2	2	1987	9	11	1979	2	2		Local
DELPHACODES Fieber. 1866											
<i>venosus</i> (Germar, 1830)	2020	2	2	2022	6	6					Local
DELPHAX Fabricius, 1798											
<i>pulchellus</i> (Curtis, 1833)	1910	2	3								Common
DICRANOTROPIS Fieber, 1866											
<i>hamata</i> (Boheman, 1847)	2019	4	4	2008	11	19	2023	2	2		Common
DITROPIS Kirschbaum, 1868											
<i>pteridis</i> (Spinola, 1839)	2023	12	13	2022	5	15	2023	5	10		Common
EUCONOMELOS Haupt, 1929											
<i>lepidus</i> (Boheman, 1847)	1910	2	2	1980	6	7					Local
EUIDES Fieber, 1866											
<i>basilinea</i> (Germar, 1821)				2018	1	1					Common
EURYBREGMA Scott, 1875											
<i>nigrolineata</i> Scott, 1875	1987	1	2	2019	5	8					Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads		
FLORODELPHAX Vilbaste, 1968											
<i>leptosoma</i> (Flor, 1861)				2020	1	1					Common
GRAVESTEINIENELLA W. Wagner, 1963											
<i>boldi</i> (Scott, 1870)				1923	1	1	1922	1	1		Local
HYLEDELPHAX Vilbaste, 1968											
<i>elegantula</i> (Boheman, 1847)	1933	1	1				2008	2	2		Common
JAVESELLA Fennah, 1963											
<i>discolor</i> (Boheman, 1847)	2019	5	8	2000	14	15					Common
<i>dubia</i> (Kirschbaum, 1868)	2021	13	20	2023	24	29	2022	5	7		Common
<i>forcipata</i> (Boheman, 1847)				1982	1	1	2017	1	1		Local
<i>obscurella</i> (Boheman, 1847)	2021	2	3	2022	4	4	2019	2	2		Common
<i>pellucida</i> (Fabricius, 1794)	2022	20	55	2022	36	115	2022	9	9		Common
KOSSWIGIANELLA W. Wagner, 1963											
<i>exigua</i> (Boheman, 1849)				2008	1	2					Local
MEGAMELODES Le Quesne, 1960											
<i>quadrimaculatus</i> (Signoret, 1865)	2020	2	2								Local
MEGAMELUS Fieber, 1866											
<i>notula</i> (Germar, 1830)	2019	5	5	1979	11	13	1979	3	4		Common
MUELLERIANELLA W. Wagner, 1963											
<i>brevipennis</i> (Boheman, 1847)				2020	1	1					Local
<i>fairmairei</i> (Perris, 1857)	2021	10	13	2018	8	9	1979	3	4	3	Common
MUIRODELPHAX W. Wagner, 1963											
<i>aubei</i> (Perris, 1857)				2023	9	10	2011	2	2		Local
NOTHODELPHAX Fennah, 1963											
<i>distincta</i> (Flor, 1861)	2019	4	6				2017	1	1		Local
PARADELPHACODES W. Wagner, 1963											
<i>litoralis</i> (Reuter, 1880)							2021	1	1		Notable B
PARALIBURNIA Jensen-Haarup, 1917											
<i>adela</i> (Flor, 1861)	1959	1	1	2019	7	7	1979	1	1		Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads		
<i>STRUEBINGIANELLA</i> W. Wagner, 1963											
<i>lugubrina</i> (Bohemian, 1847)	2021	1	1								Local
<i>XANTHODELPHAX</i> W. Wagner, 1963											
<i>flaveola</i> (Flor, 1861)				2008	1	1					Notable A
ISSIDAE											
<i>ISSUS</i> Fabricius, 1803											
<i>coleoptratus</i> (Fabricius, 1781)	2023	3	3	2022	1	1					Common
<i>muscaeformis</i> (Schrank, 1781)							2006	4	11		Notable B
CICADOMORPHA											
CERCPOOIDEA											
CERCOPIDAE											
<i>CERCOPIS</i> Fabricius, 1775											
<i>vulnerata</i> Illiger in Rossi, 1807	2023	191	328	2023	162	249	2023	15	30		Common
APHROPHORIDAE											
APHROPHORA Germar, 1821											
<i>alni</i> (Fallén, 1805)	2023	120	189	2023	68	115	2023	13	26		Common
<i>major</i> Uhler, 1896	2021	10	10	2022	5	5					Notable B
<i>pectoralis</i> Matsumura, 1903	2017	1	1					4			Common
NEOPHILAENUS Haupt, 1935											
<i>campestris</i> (Fallén, 1805)	2017	2	2	1915	1	1				5	Common
<i>exclamationis</i> (Thunberg, 1784)	1941	6	6	1980	8	8	2023	4	5		Common
<i>lineatus</i> (Linnaeus, 1758)	2023	60	120	2023	63	128	2022	27	51		Common
PHILAENUS Stål, 1864											
<i>spumarius</i> (Linnaeus, 1758)	2023	422	>500	2023	491	>500	2023	111	163		Common
MEMBRACOIDEA											
MEMBRACIDAE											
<i>CENTROTUS</i> Fabricius, 1803											
<i>cornutus</i> (Linnaeus, 1758)	1882	1	1	2021	6	6	2021	6	7		Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded		
CICADELLIDAE											
Agallinae											
AGALLIA Curtis, 1833											
<i>consobrina</i> Curtis, 1833	1882	1	1				1980	2	2		Common
ANACERATAGALLIA Zachvatkin, 1946											
<i>laevis</i> (Ribaut, 1935)				2023	9	10				6	Local
<i>venosa</i> (Geoffroy in Fourcroy, 1785)	1943	2	2	2020	7	12	2021	7	8		Common
Aphrodinae											
ANOSCOPUS Kirschbaum, 1858											
<i>albifrons</i> (Linnaeus, 1758)	2021	18	19	2021	25	43	2011	6	6		Common
<i>limicola</i> (Edwards, 1908)				2023	1	1	2021	3	5		Notable B
<i>flavostriatus</i> (Donovan, 1799)	2019	4	4	2000	9	11	1979	2	2		Common
<i>histrionicus</i> (Fabricius, 1794)				1979	4	5					Common
<i>serratulae</i> (Fabricius, 1775)				1980	2	2					Common
APHRODES Curtis, 1831											
<i>aestuarina</i> (Edwards, 1908)							1979	1	1		Notable B
<i>makarovi</i> Zachvatkin, 1948	2022	26	35	2023	43	82	2023	12	13	7	Common
PLANAPHRODES Hamilton, 1975											
<i>bifasciata</i> (Linnaeus, 1758)	1919	1	2	1882	1	1	2023	2	2		Common
<i>trifasciata</i> (Geoffroy in Fourcroy, 1785)	2020	1	1	1980	1	1					Notable B
STROGGYLOCEPHALUS Flor, 1861											
<i>agrestis</i> (Fallén, 1806)	1882	2	2	1980	6	9					Local
<i>livens</i> (Zetterstedt, 1838)	2022	2	2								Notable B
Cicadellinae											
CICADELLA Latreille, 1817											
<i>viridis</i> (Linnaeus, 1758)	2023	131	257	2023	128	223	2023	28	38		Common
GRAPHOCEPHALA Van Duzee, 1916											
<i>fennahi</i> Young, 1977	2023	14	22	2022	19	23					Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded		
Evacanthinae											
EVACANTHUS Lepeletier & Serville, 1825											
<i>acuminatus</i> (Fabricius, 1794)	1915	1	1				2011	1	6	8	Common
<i>interruptus</i> (Linnaeus, 1758)	2023	28	30	2023	28	43	2022	9	13		Common
Deltoccephalinae											
Athysanini											
ALLYGIDIUS Ribaut, 1948											
<i>commutatus</i> (Fieber, 1872)							2011	3	7		Local
ALLYGUS Fieber, 1872											
<i>mixtus</i> (Fabricius, 1794)	2022	22	31	2022	15	23	2020	4	15		Common
<i>modestus</i> Scott, 1876	2021	3	4	2023	2	2					Common
CICADULA Zetterstedt, 1838											
<i>aurantipes</i> (Edwards, 1894)	1937	4	4	1979	3	3	1978	1	2	9	Common
<i>frontalis</i> (Herrich-Schäffer, 1835)	2020	6	6	1979	4	4	1978	1	1		Common
<i>intermedia</i> (Boheman, 1845)	1922	1	1				2020	1	1		Local
<i>persimilis</i> (Edwards, 1920)	2020	4	4	2022	13	49	1979	4	4		Common
<i>quadrinotata</i> (Fabricius, 1794)	2022	14	24	2022	23	31	2022	5	8		Common
<i>quinquenotata</i> (Boheman, 1845)	2018	4	5	1922	1	1					Notable B
COLLADONUS Ball, 1936											
<i>torneellus</i> (Zetterstedt, 1828)	1882	1	1	1882	1	1					Local
CONOSANUS Osborn & Ball, 1902											
<i>obsoletus</i> (Kirshbaum, 1858)	2021	20	33	2022	32	40	2022	9	11		Common
ELYMANA DeLong, 1936											
<i>kozhevnikovi</i> (Zachvatkin, 1938)							2011	1	3		Local
<i>sulphurella</i> (Zetterstedt, 1828)	2020	10	14	2022	29	52	2008	4	4		Common
EUSCELIDIUS Ribaut, 1942											
<i>variegatus</i> (Kirshbaum, 1858)	1956	1	1				1933	1	1		Notable B
EUSCELIS Brullé, 1832											
<i>incisus</i> (Kirshbaum, 1858)	2022	15	52	2023	31	73	2021	12	13		Common
<i>lineolatus</i> Brullé, 1832	1996	6	7	1987	4	4				10	Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads		
GRAPHOCRAERUS Thomson, 1869											
<i>ventralis</i> (Fallén, 1806)	1987	1	2	1988	15	26	1979	2	2		Local
HARDYA Edwards, 1922											
<i>melanopsis</i> (Hardy, 1850)				1936	1	1					Local
IDIODONUS Ball, 1936											
<i>cruentatus</i> (Panzer, 1799)	2019	2	2				1933	1	1		Local
LAMPROTETTIX Ribaut, 1942											
<i>nitidulus</i> (Fabricius, 1787)	2022	3	4				2020	5	12		Local
LIMOTETTIX J. Sahlberg, 1871											
<i>atricapillus</i> (Boheman, 1845)	1930	3	5								RDBK
<i>striola</i> (Fallén, 1806)	1979	2	2	2020	10	13	1978	2	2		Local
MACUSTUS Ribaut, 1942											
<i>grisescens</i> (Zetterstedt, 1828)	2021	9	15	2022	23	36	2022	5	6		Common
MOCYDIA Edwards, 1922											
<i>crocea</i> (Herrich-Schäffer, 1836)	2021	5	7	2022	10	15					Common
MOCYDIOPSIS Ribaut, 1939											
<i>attenuata</i> (Germar, 1821)	2020	3	5	2023	17	27					Common
OPHIOLA Edwards, 1922											
<i>cornicula</i> (Marshall, 1866)				1987	4	4					Common
PALUDA DeLong, 1937											
<i>flaveola</i> (Boheman, 1845)				2022	12	24					Local
RHOPALOPYX Ribaut, 1939											
<i>adumbrata</i> (C. Sahlberg, 1842)	1987	1	2	2020	11	16					Local
RHYTISTYLUS Fieber, 1875											
<i>proceps</i> (Kirshbaum, 1868)				2020	3	7					Common
SPEUDOTETTIX Ribaut, 1942											
<i>subfusculus</i> (Fallén, 1806)	2021	9	10	2023	17	27	2022	2	18		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
STREPTANUS Ribaut, 1942											
<i>aemulans</i> (Kirshbaum, 1868)	2020	2	3	2022	18	33	2020	4	4		Common
<i>marginatus</i> (Kirshbaum, 1858)	1996	5	8	2022	5	5					Common
<i>sordidus</i> (Zetterstedt, 1828)	2021	12	14	2023	19	27	2017	6	7		Common
THAMNOTETTIX Zetterstedt, 1838											
<i>confinis</i> (Zetterstedt, 1828)	2021	17	21	2022	17	26	2022	5	11		Common
<i>dilutior</i> (Kirschbaum, 1868)	2021	1	1	2002	2	4	2022	3	10		Common
Deltocephalini											
DELTOCEPHALUS Burmeister, 1838											
<i>maculiceps</i> Boheman, 1847	1910	1	1				1933	1	1		Local
<i>pulicaris</i> (Fallén, 1806)	2019	9	9	2022	11	11	2020	5	6		Common
RECILIA Edwards, 1922											
<i>Recilia coronifera</i> (Marshall, 1866)	1922	2	2	1988	5	9					Common
Doraturini											
DORATURA J. Sahlberg, 1871											
<i>stylata</i> (Boheman, 1847)	2019	3	3	2008	3	5					Common
Eupelicinae											
EUPELIX Germar, 1821											
<i>cuspidata</i> (Fabricius, 1775)	2021	4	5	2023	14	17					Common
Grypotini											
GRYPOTES Fieber, 1866											
<i>puncticollis</i> (Herrich-Schäffer, 1834)				2017	4	4					Local
Macrostelini											
BALCLUTHA Kirkaldy, 1900											
<i>punctata</i> (Fabricius, 1775)	2022	12	18	2022	7	24	2022	5	7		Common
MACROSTELES Fieber, 1866											
<i>fiebri</i> (Edwards, 1889)	1959	1	1								Notable B
<i>frontalis</i> (Scott, 1875)				2020	1	1					Notable B
<i>horvathi</i> (W. Wagner, 1935)	2021	4	4	2023	6	6	2021	5	6		Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>laevis</i> (Ribaut, 1927)	2021	2	27	2022	12	36	2021	3	3		Common
<i>ossianilssonii</i> Lindberg, 1954	2021	1	1	2020	3	3					Local
<i>septemnotatus</i> (Fallén, 1806)	2020	2	2	1980	5	5	1979	3	3		Local
<i>sexnotatus</i> (Fallén, 1806)	2022	23	47	2022	27	38	2021	9	10		Common
<i>sordidipennis</i> (Stål, 1858)	1959	1	2	1980	1	1	1998	4	4	11	Notable B
<i>variatus</i> (Fallén, 1806)				2021	2	3	1978	2	2		Local
<i>viridigriseus</i> (Edwards, 1924)	2022	5	9	2022	12	14	2022	7	8		Common
SAGATUS Ribaut, 1948											
<i>punctifrons</i> (Fallén, 1806)				2019	1	1					RDBK
SONRONIUS Dorst, 1937											
<i>dahlbomi</i> (Zetterstedt, 1840)	2019	1	1				2018	1	1		Local
Paralimnini											
ADARRUS Ribaut, 1946											
<i>multinotatus</i> (Bohemian, 1847)							2022	2	4		Local
AROCEPHALUS Ribaut, 1946											
<i>punctum</i> (Flor, 1861)	2020	6	6	2020	15	19	2017	3	4		Common
ARTHALDEUS Ribaut, 1946											
<i>pascuellus</i> (Fallén, 1826)	2021	13	20	2023	30	52	2020	9	9		Common
<i>striifrons</i> (Kirshbaum, 1868)							2008	1	1		Local
COSMOTETTIX Ribaut, 1942											
<i>caudatus</i> (Flor, 1861)				1987	2	3					Notable A
<i>panzeri</i> (Flor, 1861)	1959	2	2								Notable B
ERRASTUNUS Ribaut, 1946											
<i>ocellaris</i> (Fallén, 1806)	2021	20	55	2022	34	64	1980	3	3		Common
ERZALEUS Ribaut, 1952											
<i>metrius</i> (Flor, 1861)	1930	4	4	2020	11	13	1979	1	1		Local
JASSARGUS Zachvatkin, 1934											
<i>pseudocellaris</i> (Flor, 1861)	1930	6	9	2022	13	14	1930	1	1		Common
<i>flori</i> (Fieber, 1869)	1922	2	3	1987	6	9	2011	2	2		Common
<i>sursumflexus</i> (Then, 1901)	2018	7	7	1935	1	2					Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>PARAMESUS</i> Fieber, 1866											
<i>obtusifrons</i> (Stål, 1853)	2023	2	2	2020	3	4	2021	4	4		Local
<i>PSAMMOTETTIX</i> Haupt, 1929											
<i>cephalotes</i> (Herrick-Schäffer, 1834)	2022	1	1	1921	1	1	1979	1	3		Common
<i>confinis</i> (Dahlbom, 1850)	2020	9	9	2022	20	32	2021	2	2		Common
<i>nodosus</i> (Ribaut, 1925)	1979	7	9	2020	10	11	2021	2	2		Common
<i>putoni</i> (Then, 1898)	1959	1	1	2008	2	2	2021	7	9	12	Local
<i>sabulicola</i> (Curtis, 1837)	1949	2	2	2019	7	10					Local
<i>SORHOANUS</i> Ribaut, 1946											
<i>xanthoneurus</i> (Fieber, 1869)	2018	1	1								Local
<i>TURRUTUS</i> Ribaut, 1946											
<i>socialis</i> (Flor, 1861)	1949	2	2	1882	1	1	1933	1	1		Common
<i>VERDANUS</i> Oman, 1949											
<i>abdominalis</i> (Fabricius, 1803)	1959	3	4	1988	20	38	2011	1	2		Common
<i>Idiocerinae</i>											
<i>ACERICERUS</i> Dlabola, 1974											
<i>heydenii</i> (Kirschbaum, 1868)	2022	2	2	2023	3	8					
<i>vittifrons</i> (Kirschbaum, 1868)	2022	1	1								Local
<i>IDIOCERUS</i> Lewis, 1834											
<i>lituratus</i> (Fallén, 1806)	2022	12	20	2022	20	35	1979	1	1		Common
<i>similaris</i> Kirschbaum, 1868				1907	1	1					Local
<i>stigmaticalis</i> Lewis, 1834	2021	7	10	1979	5	5	1980	4	5		Common
<i>METIDIOCERUS</i> Ossianilsson, 1981											
<i>elegans</i> (Flor, 1861)				2021	2	6	1980	1	1		Local
<i>rutilans</i> (Kirschbaum, 1868)	2022	3	3	2023	3	5					Local
<i>POPULICERUS</i> Dlabola, 1974											
<i>albicans</i> (Kirschbaum, 1868)				2020	1	1	2017	2	2		Common
<i>confusus</i> (Flor, 1861)	2022	19	26	2022	19	53	2018	5	5		Common
<i>laminatus</i> (Flor, 1861)				2021	8	10	2017	1	1		Common
<i>nitidissimus</i> (Herrick-Schäffer, 1835)	1929	2	2	2022	7	7					Common
<i>populi</i> (Linnaeus, 1761)				2021	8	11	2011	1	1		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads		
<i>RHYTIDODUS</i> Fieber, 1872											
<i>decimusquartus</i> (Schrank, 1776)				1980	4	6					Local
<i>TREMULICERUS</i> Dlabola, 1974											
<i>distinguendus</i> (Kirschbaum, 1868)				2020	7	10					Common
<i>tremulae</i> (Estlund, 1796)	2022	3	3	1980	4	5					Local
<i>vitreus</i> (Fabricius, 1803)	1924	1	1	2020	7	8					Common
<i>VIRIDICERUS</i> Dlabola, 1974											
<i>ustulatus</i> (Mulsant & Rey, 1855)	2022	2	3	2021	3	3	2018	1	1		Common
<i>lassinae</i>											
<i>BATRACOMORPHUS</i> Lewis, 1834											
<i>irroratus</i> Lewis, 1834							2008	2	3		Local
<i>IASSUS</i> Fabricius, 1803											
<i>Ianio</i> (Linnaeus, 1761)	2023	48	64	2023	18	57	2022	6	10		Common
<i>Ledrinae</i>											
<i>LEDRA</i> Fabricius, 1803											
<i>aurita</i> (Linnaeus, 1758)							2013	1	2		Local
<i>Macropsinae</i>											
<i>MACROPSIS</i> Lewis, 1834											
<i>albae</i> W. Wagner, 1950	2022	1	1								Local
<i>cerea</i> (Germar, 1836)	2021	5	5	2021	8	30	1980	2	2		Common
<i>fuscula</i> (Zetterstedt, 1828)	1922	2	2	1980	7	8					Local
<i>glandacea</i> (Fieber, 1868)	1907	1	1								Notable B
<i>impura</i> (Boheman, 1847)	1907	1	1	1980	9	10					Local
<i>infuscata</i> (J. Sahlberg, 1871)				2021	1	3					Local
<i>marginata</i> (Herrick-Schäffer, 1836)				2020	5	5					Local
<i>prasina</i> (Boheman, 1852)	2021	1	5	2021	8	35					Local
<i>scutellata</i> (Boheman, 1845)	2021	2	2	1915	2	2	1978	1	1		Common
<i>ONCOPSIS</i> Burmeister, 1838											
<i>alni</i> (Schrank, 1801)	2021	10	15	2019	10	10	2022	3	3		Common
<i>avellanae</i> Edwards, 1920							2022	3	5		Common
<i>carpini</i> (J. Sahlberg, 1871)	2022	1	1				2011	1	1		Local
<i>flavicollis</i> (Linnaeus, 1761)	2023	20	30	2022	21	43	2023	5	12		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads		
<i>subangulata</i> (J. Sahlberg, 1871)	2021	2	2	2022	5	5	2018	1	1		Local
<i>tristis</i> (Zetterstedt, 1840)	2023	5	6	2021	12	17	2021	2	2		Common
<i>PEDIOPSIS</i> Burmeister, 1838											
<i>tiliae</i> (Germar, 1831)	2021	1	1								Notable B
Megophthalminae											
<i>MEGOPHTHALMUS</i> Curtis, 1833											
<i>scabripennis</i> Edwards, 1915	2021	5	6	2023	7	11	2023	2	3		Common
<i>scanicus</i> (Fallén, 1806)	1948	5	5	2020	10	13	1978	1	1		Common
Typhlocybinae											
Alebrini											
<i>ALEBRA</i> Fieber, 1872											
<i>albostriella</i> (Fallén, 1826)	2022	13	13	1987	15	22	2017	3	5	13	Common
<i>coryli</i> Le Quesne, 1977	1982	1	1				2017	3	4		Local
<i>wahlbergi</i> (Boheman, 1845)	2022	5	5	2022	8	8					Common
Dikraneurini											
<i>DIKRANEURA</i> Hardy, 1850											
<i>variata</i> Hardy, 1850	2021	13	17	2020	22	43	2020	3	3		Common
<i>EMELYANOVIANA</i> Anufriev, 1970											
<i>mollicula</i> (Boheman, 1845)	1922	2	2	2008	2	2	1978	2	2		Local
<i>FORCIPATA</i> DeLong & Caldwell, 1936											
<i>citrinella</i> (Zetterstedt, 1828)				1979	3	3	1979	2	3		Common
<i>NOTUS</i> Fieber, 1866											
<i>flavipennis</i> (Zetterstedt, 1828)	1979	6	8	2022	13	14	1979	2	2		Common
Empoascini											
<i>EMPOASCA</i> Walsh, 1862											
<i>decipiens</i> Paoli, 1930	2022	4	4	2021	4	5	1978	1	2		Common
<i>vitis</i> (Göthe, 1875)	2022	17	19	2022	17	186	2011	3	5		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>KYBOS</i> Fieber, 1866											
<i>butleri</i> (Edwards, 1908)	2021	2	3	2022	14	21					Common
<i>ludus</i> (Davidson & DeLong, 1938)	2022	2	2	2021	7	11	2018	2	2		Common
<i>populi</i> (Edwards, 1908)				1979	5	6				14	Common
<i>rufescens</i> Melichar, 1896				1979	2	2	2011	1	1		Local
<i>smaragdula</i> (Fallén, 1806)	1943	6	6	1979	5	8	2018	2	4		Common
<i>strigilifer</i> (Ossiannilsson, 1941)	2021	3	3	2021	3	4	2020	1	1		Common
<i>virgator</i> (Ribaut, 1933)				1988	9	12	1980	1	1		Common
Erythroneurini											
ALNETOIDIA Dlabola, 1958											
<i>alneti</i> (Dahlbom, 1850)	2022	10	11	2018	12	12	2020	9	11		Common
ARBORIDIA Zachvatkin, 1946											
<i>parvula</i> (Boheman, 1845)				1980	3	3					Local
<i>ribauti</i> (Ossiannilsson, 1937)				2021	1	1				15	Local
HAUPTIDIA Dworakowska, 1970											
<i>maroccana</i> (Melichar, 1907)	2020	1	1	1959	4	5	1979	2	2		Local
ZYGINA Fieber, 1866											
<i>angusta</i> Lethierry, 1874	2019	6	6	2019	6	9	2011	1	5		Common
<i>flammigera</i> (Geoffroy in Fourcroy, 1785)	2018	6	6	2022	6	21	2019	2	8		Common
<i>ordinaria</i> (Ribaut, 1936)	1942	1	1								Unknown
<i>schneideri</i> (Gunthart, 1974)							1979	2	3		Local
<i>suavis</i> Rey, 1891	c1940	1	1							16	Local
<i>tiliae</i> (Fallén, 1806)	2013	2	2								Local
ZYGINIDIA Haupt, 1929											
<i>scutellaris</i> (Herrick-Schäffer, 1838)	2021	9	14	2021	18	32	1978	1	1		Common
Typhlocybini											
EDWARDSIANA Zachvatkin, 1929											
<i>avellanae</i> (Edwards, 1888)				2018	3	8	2011	1	2		Common
<i>bergmani</i> (Tullgren, 1916)	1941	2	2	1979	2	2					Local
<i>candidula</i> (Kirschbaum, 1868)				1979	2	2	2016	1	1		Local
<i>crataegi</i> (Douglas, 1876)	2022	4	5	2018	7	42	1980	2	2		Common
<i>flavescens</i> (Fabricius, 1794)	1921	2	2	1922	2	3					Local
<i>frustrator</i> (Edwards, 1908)				1980	3	3	1978	1	1		Common
<i>geometrica</i> (Schrank, 1801)	1943	3	3	1988	5	8	1979	3	3		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>lethierryi</i> (Edwards, 1881)	1943	2	2	1980	6	7	1980	3	3	17	Common
<i>nigriloba</i> (Edwards, 1924)	1942	2	2	1979	3	3				18	Common
<i>plebeja</i> (Edwards, 1914)	1921	2	2	1921	1	1					Local
<i>rosae</i> (Linnaeus, 1758)	1938	9	9	1980	10	11	1980	3	3		Common
<i>salicicola</i> (Edwards, 1885)	1935	4	4	2022	6	8	1978	1	1		Common
<i>tersa</i> (Edwards, 1914)				1960	2	3				19	Notable B
<i>ulmiphagus</i> Wilson & Claridge, 1999				2021	1	1					
EUPTERYCYBA Dlaloba, 1958											
<i>jucunda</i> (Herrich-Schäffer 1837)	2023	2	3	2019	7	8					Common
EUPTERYX Curtis, 1833											
<i>artemisiae</i> (Kirschbaum, 1868)				1924	2	2	1980	1	1		Local
<i>atropunctata</i> (Goeze, 1778)	1944	3	3	1944	2	2					Local
<i>aurata</i> (Linnaeus, 1758)	2023	63	98	2023	54	93	2022	16	20		Common
<i>cyclops</i> Matsumura, 1906	1959	5	6	2022	7	8	2021	1	1		Local
<i>decemnotata</i> Rey, 1891	2021	2	2	2021	2	4					
<i>filicum</i> (Newman, 1853)	2022	4	4	2022	5	9	2022	1	1		Local
<i>florida</i> Ribaut, 1936	1950	1	1	2018	2	3	2011	1	2		Local
<i>melissae</i> Curtis, 1837	2021	5	5	2020	6	7	1979	1	1		Common
<i>notata</i> Curtis, 1837	1922	1	1	2020	9	10	1979	1	2		Common
<i>signatipennis</i> (Bohemian, 1847)	1922	1	1	1980	3	3	1978	3	3		Local
<i>stachydearum</i> (Hardy, 1850)	1979	2	2	1980	4	5	2011	4	6		Common
<i>tenella</i> (Fallén, 1806)	2020	4	4								Local
<i>urticae</i> (Fabricius, 1803)	2023	38	53	2022	26	61	2022	11	12		Common
<i>vittata</i> (Linnaeus, 1758)	2023	5	5	2021	5	8	2022	4	5		Common
EURHADINA Haupt, 1929											
<i>concinna</i> (Germar, 1831)	2021	7	7	2018	4	6	1978	1	1		Common
<i>kirschbaumi</i> W. Wagner, 1937	2021	1	1								Notable A
<i>loewii</i> (Then, 1886)	1953	4	5	2023	9	16	1980	3	3		Common
<i>pulchella</i> (Fallén, 1806)	1944	7	8	2020	8	16					Common
<i>ribauti</i> W. Wagner, 1935	2021	1	1								Notable B
FAGOCYBA Dlaloba, 1958											
<i>carri</i> (Edwards, 1914)	2022	4	4	1937	1	1					Local
<i>cruenta</i> (Herrich-Schäffer, 1838)	2022	14	15	1988	11	11	2018	4	4		Common
LINDBERGINA Dlaloba, 1958											
<i>aurovittata</i> (Douglas, 1875)	2018	3	4	2021	1	1	1915	1	1		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads	Year last recorded	Number of Records	Number of Monads		
<i>LINNAVUORIANA</i> Dlabola, 1958											
<i>decempunctata</i> (Fallén, 1806)	2020	9	9	2019	1	1	1915	1	1		Local
<i>sexmaculata</i> (Edwards, 1850)				2021	2	9					Common
<i>OSSIANNILSSONOLA</i> Christian, 1953											
<i>callosa</i> (Then, 1886)	1942	1	1	1980	7	7	1983	3	3		Local
<i>RIBAUTIANA</i> Zachvatkin, 1947											
<i>debilis</i> (Douglas, 1876)	1938	1	1	2022	3	3					Local
<i>scalaris</i> (Ribaut, 1931)	1937	1	1								Local
<i>tenerrima</i> (Herrick-Schäffer, 1834)	2021	6		2022	12	14	2011	4	5		Common
<i>ulmi</i> (Linnaeus, 1758)	1942	4	5	1980	18	20	2018	8	9		Common
<i>TYPHLOCYBA</i> Germar, 1833											
<i>quercus</i> (Fabricius, 1777)	2023	12	17	2020	8	10	1979	2	2		Common
<i>WAGNERIPTYX</i> Dlabola, 1958											
<i>germari</i> (Zetterstedt, 1838)	2019	2	2				1915	1	1		Common
<i>ZONOCYBA</i> Vilbaste, 1982											
<i>bifasciata</i> (Boheman, 1851)	1943	1	2				1979	3	3		Local
<i>ZYGINELLA</i> P. Löw, 1885											
<i>pulchra</i> P. Löw, 1885				2020	2	4					
Ulopinae											
<i>ULOPA</i> Fallén, 1814											
<i>reticulata</i> (Fabricius, 1794)	2019	20	25	1985	1	1	2017	1	1	20	Common

Alphabetic List

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Acericerus heydenii</i> (Kirschbaum, 1868)	2022	2	2	2023	3	8					
<i>Acericerus vittifrons</i> (Kirschbaum, 1868)	2022	1	1								Local
<i>Adarrus multinotatus</i> (Boheman 1847)							2022	2	4		Local
<i>Agallia consobrina</i> Curtis, 1833	1882	1	1				1980	2	2		Common
<i>Alebra albostriella</i> (Fallen, 1826)	2022	13	13	1987	15	22	2017	3	5	13	Common
<i>Alebra coryli</i> Le Quesne, 1977	1982	1	1				2017	3	4		Local
<i>Alebra wahlbergi</i> (Boheman, 1845)	2022	5	5	2022	8	8					Common
<i>Allygidius commutatus</i> (Fieber, 1872)							2011	3	7		Local
<i>Allygus mixtus</i> (Fabricius, 1794)	2022	22	31	2022	15	23	2020	4	15		Common
<i>Allygus modestus</i> Scott, 1876	2021	3	4	2023	2	2					Common
<i>Alnetoidea alneti</i> (Dahlbom, 1850)	2022	10	11	2018	12	12	2020	9	11		Common
<i>Anaceratagallia laevis</i> (Ribaut, 1935)				2023	9	10				6	Local
<i>Anaceratagallia venosa</i> (Geoffroy in Fourcroy, 1785)	1943	2	2	2020	7	12	2021	7	8		Common
<i>Anakelisia perspicillata</i> (Boheman, 1845)							1933	1	1		Local
<i>Anoscopus albifrons</i> (Linnaeus, 1758)	2021	18	19	2021	25	43	2011	6	6		Common
<i>Anoscopus flavostriatus</i> (Donovan, 1799)	2019	4	4	2000	9	11	1979	2	2		Common
<i>Anoscopus histrionicus</i> (Fabricius, 1794)				1979	4	5					Common
<i>Anoscopus limicola</i> (Edwards, 1908)				2023	1	1	2021	3	5		Notable B
<i>Anoscopus serratulae</i> (Fabricius, 1775)				1980	2	2					Common
<i>Aphrodes aestuarina</i> (Edwards, 1908)							1979	1	1		Notable B
<i>Aphrodes makarovi</i> Zachvatkin, 1948	2022	26	35	2023	43	82	2023	12	13	7	Common
<i>Aphrophora alni</i> (Fallen, 1805)	2023	120	189	2023	68	115	2023	13	26		Common
<i>Aphrophora major</i> Uhler, 1896	2021	10	10	2022	5	5					Notable B
<i>Aphrophora pectoralis</i> Matsumura, 1903	2017	1	1							4	Common
<i>Arboridia parvula</i> (Boheman, 1845)				1980	3	3					Local
<i>Arboridia ribauti</i> (Ossianilsson, 1937)				2021	1	1				15	Local
<i>Arocephalus punctum</i> (Flor, 1861)	2020	6	6	2020	15	19	2017	3	4		Common
<i>Arthaldeus pascuellus</i> (Fallen, 1826)	2021	13	20	2023	30	52	2020	9	9		Common
<i>Arthaldeus striifrons</i> (Kirshbaum 1868)							2008	1	1		Local
<i>Balclutha punctata</i> (Fabricius, 1775)	2022	12	18	2022	7	24	2022	5	7		Common
<i>Batracomorphus irratus</i> Lewis, 1834							2008	2	3		Local
<i>Centrotus cornutus</i> (Linnaeus, 1758)	1882	1	1	2021	6	6	2021	6	7		Local
<i>Cercopis vulnerata</i> Rossi, 1807	2023	191	328	2023	162	249	2023	15	30		Common
<i>Chloriona dorsata</i> Edwards, 1898							1979	1	1		Notable B
<i>Chloriona glaucescens</i> Fieber, 1866	2021	2	2				2018	2	3		Common
<i>Chloriona smaragdula</i> (Stål, 1853)	1929	1	1	2019	1	2					Common
<i>Chloriona unicolor</i> (Herrich-Schäffer, 1835)				1979	3	3	1979	1	1		Common
<i>Cicadella viridis</i> (Linnaeus, 1758)	2023	131	257	2023	128	223	2023	28	38		Common
<i>Cicadula aurantipes</i> (Edwards, 1894)	1937	4	4	1979	3	3	1978	1	2	9	Common
<i>Cicadula frontalis</i> (Herrich-Schäffer, 1835)	2020	6	6	1979	4	4	1978	1	1		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Cicadula intermedia</i> (Boheman, 1845)	1922	1	1				2020	1	1		Local
<i>Cicadula persimilis</i> (Edwards, 1920)	2020	4	4	2022	13	49	1979	4	4		Common
<i>Cicadula quadrinotata</i> (Fabricius, 1794)	2022	14	24	2022	23	31	2022	5	8		Common
<i>Cicadula quinquenotata</i> (Boheman, 1845)	2018	4	5	1922	1	1					Notable B
<i>Cixius cunicularius</i> (Linnaeus, 1767)	1959	4	7	2022	3	5	2020	5	13	1	Local
<i>Cixius distinguendus</i> Kirschbaum, 1868	2020	4	4	1941	3	3	2011	1	7		Common
<i>Cixius nervosus</i> (Linnaeus, 1758)	2023	30	44	2022	24	48	2022	10	12		Common
<i>Cixius similis</i> Kirschbaum, 1868	2019	8	8								Local
<i>Cixius simplex</i> (Herrich-Schäffer, 1835)	1937	1	1								Local
<i>Colladonus torneellus</i> (Zetterstedt, 1828)	1882	1	1	1882	1	1					Local
<i>Conomelus anceps</i> (Germar, 1821)	2022	34	52	2022	23	77	2022	8	9		Common
<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	2021	20	33	2022	32	40	2022	9	11		Common
<i>Cosmotettix caudatus</i> (Flor, 1861)				1987	2	3					Notable A
<i>Cosmotettix panzeri</i> (Flor, 1861)	1959	2	2								Notable B
<i>Criomorphus albomarginatus</i> Curtis, 1833	2021	4	6	2023	17	34	2023	4	4		Common
<i>Delphacinus mesomelas</i> (Boheman, 1850)	1960	2	2	1987	9	11	1979	2	2		Local
<i>Delphacodes venosus</i> (Germar, 1830)	2020	2	2	2022	6	6					Local
<i>Delphax pulchellus</i> (Curtis, 1833)	1910	2	3								Common
<i>Deltcephalus maculiceps</i> Boheman, 1847	1910	1	1				1933	1	1		Local
<i>Deltcephalus pulicaris</i> (Fallen, 1806)	2019	9	9	2022	11	11	2020	5	6		Common
<i>Dicranotropis hamata</i> (Boheman, 1847)	2019	4	4	2008	11	19	2023	2	2		Common
<i>Dikraneura variata</i> Hardy, 1850	2021	13	17	2020	22	43	2020	3	3		Common
<i>Ditropis pteridis</i> (Spinola, 1839)	2023	12	13	2022	5	15	2023	5	10		Common
<i>Doratura stylata</i> (Boheman, 1847)	2019	3	3	2008	3	5					Common
<i>Edwardsiana avellanae</i> (Edwards, 1888)				2018	3	8	2011	1	2		Common
<i>Edwardsiana bergmani</i> (Tullgren, 1916)	1941	2	2	1979	2	2					Local
<i>Edwardsiana candidula</i> (Kirschbaum, 1868)				1979	2	2	2016	1	1		Local
<i>Edwardsiana crataegi</i> (Douglas, 1876)	2022	4	5	2018	7	42	1980	2	2		Common
<i>Edwardsiana flavescens</i> (Fabricius, 1794)	1921	2	2	1922	2	3					Local
<i>Edwardsiana frustrator</i> (Edwards, 1908)				1980	3	3	1978	1	1		Common
<i>Edwardsiana geometrica</i> (Schrank, 1801)	1943	3	3	1988	5	8	1979	3	3		Common
<i>Edwardsiana lethierryi</i> (Edwards, 1881)	1943	2	2	1980	6	7	1980	3	3	17	Common
<i>Edwardsiana nigriloba</i> (Edwards, 1924)	1942	2	2	1979	3	3					18
<i>Edwardsiana plebeja</i> (Edwards 1914)	1921	2	2	1921	1	1					Local
<i>Edwardsiana rosae</i> (Linnaeus, 1758)	1938	9	9	1980	10	11	1980	3	3		Common
<i>Edwardsiana salicicola</i> (Edwards, 1885)	1935	4	4	2022	6	8	1978	1	1		Common
<i>Edwardsiana tersa</i> (Edwards, 1914)				1960	2	3				19	Notable B
<i>Edwardsiana ulmiphagus</i> Wilson & Claridge, 1999				2021	1	1					
<i>Elymana kozhevnikovi</i> (Zachvatkin, 1938)							2011	1	3		Local
<i>Elymana sulphurella</i> (Zetterstedt, 1828)	2020	10	14	2022	29	52	2008	4	4		Common
<i>Emelyanoviana mollicula</i> (Boheman, 1845)	1922	2	2	2008	2	2	1978	2	2		Local
<i>Empoasca decipiens</i> Paoli, 1930	2022	4	4	2021	4	5	1978	1	2		Common

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Empoasca vitis</i> (Göthe, 1875)	2022	17	19	2022	17	186	2011	3	5		Common
<i>Errastunus ocellaris</i> (Fallen, 1806)	2021	20	55	2022	34	64	1980	3	3		Common
<i>Erzaleus metrius</i> (Flor, 1861)	1930	4	4	2020	11	13	1979	1	1		Local
<i>Euconomelus lepidus</i> (Boheman, 1847)	1910	2	2	1980	6	7					Local
<i>Euides basilinea</i> (Boheman, 1845)				2018	1	1					Common
<i>Eupelix cuspidata</i> (Fabricius, 1775)	2021	4	5	2023	14	17					Common
<i>Eupterycyba jucunda</i> (Herrich-Schäffer, 1837)	2023	2	3	2019	7	8					Common
<i>Eupteryx artemisiae</i> (Kirschbaum, 1868)				1924	2	2	1980	1	1		Local
<i>Eupteryx atropunctata</i> (Goeze, 1778)	1944	3	3	1944	2	2					Local
<i>Eupteryx aurata</i> (Linnaeus, 1758)	2023	63	98	2023	54	93	2022	16	20		Common
<i>Eupteryx cyclops</i> Matsumura, 1906	1959	5	6	2022	7	8	2021	1	1		Local
<i>Eupteryx decemnotata</i> Rey, 1891	2021	2	2	2021	2	4					
<i>Eupteryx filicum</i> (Newman, 1853)	2022	4	4	2022	5	9	2022	1	1		Local
<i>Eupteryx florida</i> Ribaut, 1936	1950	1	1	2018	2	3	2011	1	2		Local
<i>Eupteryx melissae</i> Curtis, 1837	2021	5	5	2020	6	7	1979	1	1		Common
<i>Eupteryx notata</i> Curtis, 1837	1922	1	1	2020	9	10	1979	1	2		Common
<i>Eupteryx signatipennis</i> (Boheman, 1847)	1922	1	1	1980	3	3	1978	3	3		Local
<i>Eupteryx stachydearum</i> (Hardy, 1850)	1979	2	2	1980	4	5	2011	4	6		Common
<i>Eupteryx tenella</i> (Fallen, 1806)	2020	4	4								Local
<i>Eupteryx urticae</i> (Fabricius, 1803)	2023	38	53	2022	26	61	2022	11	12		Common
<i>Eupteryx vittata</i> (Linnaeus, 1758)	2023	5	5	2021	5	8	2022	4	5		Common
<i>Eurhadina concinna</i> (Germar, 1831)	2021	7	7	2018	4	6	1978	1	1		Common
<i>Eurhadina kirschbaumi</i> W. Wagner, 1937	2021	1	1								Notable A
<i>Eurhadina loewii</i> (Then, 1886)	1953	4	5	2023	9	16	1980	3	3		Common
<i>Eurhadina pulchella</i> (Fallen, 1806)	1944	7	8	2020	8	16					Common
<i>Eurhadina ribauti</i> W. Wagner, 1935	2021	1	1								Notable B
<i>Eurybregma nigrolineata</i> Scott, 1875	1987	1	2	2019	5	8					Local
<i>Euscelidius variegatus</i> (Kirshbaum, 1858)	1956	1	1				1933	1	1		Notable B
<i>Euscelis incisus</i> (Kirshbaum, 1858)	2022	15	52	2023	31	73	2021	12	13		Common
<i>Euscelis lineolatus</i> Brullé, 1832	1996	6	7	1987	4	4					10
<i>Evacanthus acuminatus</i> (Fabricius, 1794)	1915	1	1				2011	1	6		Common
<i>Evacanthus interruptus</i> (Linnaeus, 1758)	2023	28	30	2023	28	43	2022	9	13		Common
<i>Fagocyba carri</i> (Edwards, 1914)	2022	4	4	1937	1	1					Local
<i>Fagocyba cruenta</i> (Herrich-Schäffer, 1838)	2022	14	15	1988	11	11	2018	4	4		Common
<i>Florodelphax leptosoma</i> (Flor, 1861)				2020	1	1					Common
<i>Forcipata citrinella</i> (Zetterstedt, 1828)				1979	3	3	1979	2	3		Common
<i>Graphocephala fennahi</i> Young, 1977	2023	14	22	2022	19	23					Common
<i>Graphocraerus ventralis</i> (Fallen, 1806)	1987	1	2	1988	15	26	1979	2	2		Local
<i>Gravesteiniella boldi</i> (Scott, 1870)				1923	1	1	1922	1	1		Local
<i>Grypotes puncticollis</i> (Herrich-Schäffer, 1834)				2017	4	4					Local
<i>Hardya melanopsis</i> (Hardy, 1850)				1936	1	1					Local
<i>Hauptidia maroccana</i> (Melichar, 1907)	2020	1	1	1959	4	5	1979	2	2		Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Hyledelphax elegantula</i> (Boheman, 1847)	1933	1	1				2008	2	2		Common
<i>Iassus lanio</i> (Linnaeus, 1761)	2023	48	64	2023	18	57	2022	6	10		Common
<i>Idiocerus lituratus</i> (Fallen, 1806)	2022	12	20	2022	20	35	1979	1	1		Common
<i>Idiocerus similis</i> Kirschbaum, 1868				1907	1	1					Local
<i>Idiocerus stigmaticalnis</i> Lewis, 1834	2021	7	10	1979	5	5	1980	4	5		Common
<i>Idiodonus cruentatus</i> (Panzer, 1799)	2019	2	2				1933	1	1		Local
<i>Issus coleoptratus</i> (Fabricius, 1781)	2023	3	3	2022	1	1					Common
<i>Issus muscaeformis</i> (Schrank, 1781)							2006	4	11		Notable B
<i>Jassargus flori</i> (Fieber, 1869)	1922	2	3	1987	6	9	2011	2	2		Common
<i>Jassargus pseudocellaris</i> (Flor, 1861)	1930	6	9	2022	13	14	1930	1	1		Common
<i>Jassargus sursumflexus</i> (Then, 1901)	2018	7	7	1935	1	2					Local
<i>Javesella discolor</i> (Boheman, 1847)	2019	5	8	2000	14	15					Common
<i>Javesella dubia</i> (Kirschbaum, 1868)	2021	13	20	2023	24	29	2022	5	7		Common
<i>Javesella forcipata</i> (Boheman, 1847)				1982	1	1	2017	1	1		Local
<i>Javesella obscurella</i> (Boheman, 1847)	2021	2	3	2022	4	4	2019	2	2		Common
<i>Javesella pellucida</i> (Fabricius, 1794)	2022	20	55	2022	36	115	2022	9	9		Common
<i>Kelisia guttula</i> (Germar, 1818)	1922	1	1	2000	6	8	2021	2	3		Common
<i>Kelisia guttulifera</i> (Kirschbaum, 1868)				1980	3	3					Local
<i>Kelisia punctulum</i> (Kirschbaum, 1868)	1933	1	1	1987	3	3	1933	1	1		Local
<i>Kelisia ribauti</i> W. Wagner, 1938							2008	1	1		Local
<i>Kelisia sabulicola</i> W. Wagner, 1952	1979	1	1	1980	7	7					Local
<i>Kelisia vittipennis</i> (J. Sahlberg, 1868)	2020	4	5	2020	6	7	2020	3	3	2	Common
<i>Kosswigianella exigua</i> (Boheman, 1849)				2008	1	2					Local
<i>Kybos butleri</i> (Edwards, 1908)	2021	2	3	2022	14	21					Common
<i>Kybos ludus</i> (Davidson & DeLong, 1938)	2022	2	2	2021	7	11	2018	2	2		Common
<i>Kybos populi</i> (Edwards, 1908)				1979	5	6				14	Common
<i>Kybos rufescens</i> (Melichar, 1896)				1979	2	2	2011	1	1		Local
<i>Kybos smaragdula</i> (Fallen, 1806)	1943	6	6	1979	5	8	2018	2	4		Common
<i>Kybos strigilifer</i> (Ossiannilsson, 1941)	2021	3	3	2021	3	4	2020	1	1		Common
<i>Kybos virgator</i> (Ribaut, 1933)				1988	9	12	1980	1	1		Common
<i>Lamprotettix nitidulus</i> (Fabricius, 1787)	2022	3	4				2020	5	12		Local
<i>Ledra aurita</i> (Linnaeus, 1758)							2013	1	2		Local
<i>Limotettix atricapillus</i> (Boheman, 1845)	1930	3	5								RDBK
<i>Limotettix striola</i> (Fallen, 1806)	1979	2	2	2020	10	13	1978	2	2		Local
<i>Lindbergina aurovittata</i> (Douglas, 1875)	2018	3	4	2021	1	1	1915	1	1		Common
<i>Linnavuoriana decempunctata</i> (Fallen, 1806)	2020	9	9	2019	1	1	1915	1	1		Local
<i>Linnavuoriana sexmaculata</i> (Edwards, 1850)				2021	2	9					Common
<i>Macropsis albae</i> W. Wagner, 1950	2022	1	1								Local
<i>Macropsis cerea</i> (Germar, 1836)	2021	5	5	2021	8	30	1980	2	2		Common
<i>Macropsis fuscula</i> (Zetterstedt, 1828)	1922	2	2	1980	7	8					Local
<i>Macropsis glandacea</i> (Fieber, 1868)	1907	1	1								Notable B
<i>Macropsis impura</i> (Boheman, 1847)	1907	1	1	1980	9	10					Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Macropsis infuscata</i> (J. Sahlberg, 1871)				2021	1	3					Local
<i>Macropsis marginata</i> (Herrich-Schäffer, 1836)				2020	5	5					Local
<i>Macropsis prasina</i> (Boheman, 1852)	2021	1	5	2021	8	35					Local
<i>Macropsis scutellata</i> (Boheman, 1845)	2021	2	2	1915	2	2	1978	1	1		Common
<i>Macrosteles fieberi</i> (Edwards, 1889)	1959	1	1								Notable B
<i>Macrosteles frontalis</i> (Scott, 1875)				2020	1	1					Notable B
<i>Macrosteles horvathi</i> (W. Wagner, 1935)	2021	4	4	2023	6	6	2021	5	6		Local
<i>Macrosteles laevis</i> (Ribaut, 1927)	2021	2	27	2022	12	36	2021	3	3		Common
<i>Macrosteles ossianilssonii</i> Lindberg, 1954	2021	1	1	2020	3	3					Local
<i>Macrosteles septemnotatus</i> (Fallen, 1806)	2020	2	2	1980	5	5	1979	3	3		Local
<i>Macrosteles sexnotatus</i> (Fallen, 1806)	2022	23	47	2022	27	38	2021	9	10		Common
<i>Macrosteles sordidipennis</i> (Stål, 1858)	1959	1	2	1980	1	1	1998	4	4	11	Notable B
<i>Macrosteles variatus</i> (Fallen, 1806)				2021	2	3	1978	2	2		Local
<i>Macrosteles viridigriseus</i> (Edwards, 1924)	2022	5	9	2022	12	14	2022	7	8		Common
<i>Macustus grisescens</i> (Zetterstedt, 1828)	2021	9	15	2022	23	36	2022	5	6		Common
<i>Megamelodes quadrimaculatus</i> (Signoret, 1865)	2020	2	2								Local
<i>Megamelus notula</i> (Germar, 1830)	2019	5	5	1979	11	13	1979	3	4		Common
<i>Megophthalmus scabripennis</i> Edwards, 1915	2021	5	6	2023	7	11	2023	2	3		Common
<i>Megophthalmus scanicus</i> (Fallen, 1806)	1948	5	5	2020	10	13	1978	1	1		Common
<i>Metidiocerus elegans</i> Flor, 1861				2021	2	6	1980	1	1		Local
<i>Metidiocerus rutilans</i> (Kirschbaum, 1868)	2022	3	3	2023	3	5					Local
<i>Mocydia crocea</i> (Herrich-Schäffer, 1836)	2021	5	7	2022	10	15					Common
<i>Mocydiopsis attenuata</i> (Germar, 1821)	2020	3	5	2023	17	27					Common
<i>Muellerianella brevipennis</i> (Boheman, 1847)				2020	1	1					Local
<i>Muellerianella fairmairei</i> (Perris, 1857)	2021	10	13	2018	8	9	1979	3	4	3	Common
<i>Muirodelphax aubei</i> (Perris, 1857)				2023	9	10	2011	2	2		Local
<i>Neophilaenus campestris</i> (Fallen, 1805)	2017	2	2	1915	1	1				5	Common
<i>Neophilaenus exclamatorius</i> (Thunberg, 1784)	1941	6	6	1980	8	8	2023	4	5		Common
<i>Neophilaenus lineatus</i> (Linnaeus, 1758)	2023	60	120	2023	63	128	2022	27	51		Common
<i>Nothodelphax distincta</i> (Flor, 1861)	2019	4	6				2017	1	1		Local
<i>Notus flavipennis</i> (Zetterstedt, 1828)	1979	6	8	2022	13	14	1979	2	2		Common
<i>Oncopsis alni</i> (Schrank, 1801)	2021	10	15	2019	10	10	2022	3	3		Common
<i>Oncopsis avellanae</i> Edwards, 1920							2022	3	5		Common
<i>Oncopsis carpini</i> (J. Sahlberg, 1871)	2022	1	1				2011	1	1		Local
<i>Oncopsis flavidollis</i> (Linnaeus, 1761)	2023	20	30	2022	21	43	2023	5	12		Common
<i>Oncopsis subangulata</i> (J. Sahlberg, 1871)	2021	2	2	2022	5	5	2018	1	1		Local
<i>Oncopsis tristis</i> (Zetterstedt, 1840)	2023	5	6	2021	12	17	2021	2	2		Common
<i>Ophiola cornicula</i> (Marshall, 1866)				1987	4	4					Common
<i>Ossiannilssonola callosa</i> (Then, 1886)	1942	1	1	1980	7	7	1983	3	3		Local
<i>Paluda flaveola</i> (Boheman, 1845)				2022	12	24					Local
<i>Paradelphacodes litoralis</i> (Reuter, 1880)							2021	1	1		Notable B
<i>Paraliburnia adela</i> (Flor, 1861)	1959	1	1	2019	7	7	1979	1	1		Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Paramesus obtusifrons</i> (Stål, 1853)	2023	2	2	2020	3	4	2021	4	4		Local
<i>Pediopsis tiliae</i> (Germar, 1831)	2021	1	1								Notable B
<i>Philaenus spumarius</i> (Linnaeus, 1758)	2023	422	>500	2023	491	>500	2023	111	163		Common
<i>Planaphrodes bifasciata</i> (Linnaeus, 1758)	1919	1	2	1882	1	1	2023	2	2		Common
<i>Planaphrodes trifasciata</i> (Geoffroy in Fourcroy, 1785)	2020	1	1	1980	1	1					Notable B
<i>Populicerus albicans</i> (Kirschbaum, 1868)				2020	1	1	2017	2	2		Common
<i>Populicerus confusus</i> Flor, 1861	2022	19	26	2022	19	53	2018	5	5		Common
<i>Populicerus laminatus</i> (Flor, 1861)				2021	8	10	2017	1	1		Common
<i>Populicerus nitidissimus</i> (Herrich-Schäffer, 1835)	1929	2	2	2022	7	7					Common
<i>Populicerus populi</i> (Linnaeus, 1761)				2021	8	11	2011	1	1		Common
<i>Psammotettix cephalotes</i> (Herrich-Schäffer, 1834)	2022	1	1	1921	1	1	1979	1	3		Common
<i>Psammotettix confinis</i> (Dahlbom, 1850)	2020	9	9	2022	20	32	2021	2	2		Common
<i>Psammotettix nodosus</i> (Ribaut, 1925)	1979	7	9	2020	10	11	2021	2	2		Common
<i>Psammotettix putoni</i> (Then, 1898)	1959	1	1	2008	2	2	2021	7	9	12	Local
<i>Psammotettix sabulicola</i> (Curtis, 1837)	1949	2	2	2019	7	10					Local
<i>Recilia coronifera</i> (Marshall, 1866)	1922	2	2	1988	5	9					Common
<i>Rhopalopyx adumbrata</i> (C. Sahlberg, 1842)	1987	1	2	2020	11	16					Local
<i>Rhytidodus decimusquartus</i> (Schrank, 1776)				1980	4	6					Local
<i>Rhytistylus proceps</i> (Kirshbaum, 1868)				2020	3	7					Common
<i>Ribautiana debilis</i> (Douglas, 1876)	1938	1	1	2022	3	3					Local
<i>Ribautiana scalaris</i> (Ribaut, 1931)	1937	1	1								Local
<i>Ribautiana tenerrima</i> (Herrich-Schäffer, 1834)	2021	6	6	2022	12	14	2011	4	5		Common
<i>Ribautiana ulmi</i> (Linnaeus, 1758)	1942	4	5	1980	18	20	2018	8	9		Common
<i>Sagatus punctifrons</i> (Fallen, 1806)				2019	1	1					RDBK
<i>Sonronius dahlbomi</i> (Zetterstedt, 1840)	2019	1	1				2018	1	1		Local
<i>Sorhoanus xanthoneurus</i> (Fieber, 1869)	2018	1	1								Local
<i>Speudotettix subfusculus</i> (Fallen, 1806)	2021	9	10	2023	17	27	2022	2	18		Common
<i>Stenocranus longipennis</i> (Curtis, 1837)	2005	4	5								Local
<i>Stenocranus major</i> (Kirschbaum, 1868)	2021	2	16	2021	6	15					Local
<i>Stenocranus minutus</i> (Fabricius, 1787)	2022	5	7	2022	24	43	2020	1	1		Common
<i>Streptanus aemulans</i> (Kirshbaum, 1868)	2020	2	3	2022	18	33	2020	4	4		Common
<i>Streptanus marginatus</i> (Kirshbaum, 1858)	1996	5	8	2022	5	5					Common
<i>Streptanus sordidus</i> (Zetterstedt, 1828)	2021	12	14	2023	19	27	2017	6	7		Common
<i>Stroggylocephalus agrestis</i> (Fallen, 1806)	1882	2	2	1980	6	9					Local
<i>Stroggylocephalus livens</i> (Zetterstedt, 1838)	2022	2	2								Notable B
<i>Struebingianella lugubrina</i> (Boheman, 1847)	2021	1	1								Local
<i>Tachycixius pilosus</i> (Olivier, 1791)	2023	17	37	2022	28	51	2023	5	21		Common
<i>Thamnotettix confinis</i> (Zetterstedt, 1828)	2021	17	21	2022	17	26	2022	5	11		Common
<i>Thamnotettix dilutior</i> (Kirschbaum, 1868)	2021	1	1	2002	2	4	2022	3	10		Common
<i>Tremulicerus distinguendus</i> (Kirschbaum, 1868)				2020	7	10					Common
<i>Tremulicerus tremulae</i> (Estlund, 1796)	2022	3	3	1980	4	5					Local

Taxon	VC58			VC59			VC60			Notes	National Status
	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records	Year last recorded	Number of Monads	Number of Records		
<i>Tremulicerus vitreus</i> (Fabricius, 1803)	1924	1	1	2020	7	8					Common
<i>Trigonocranus emmeae</i> Fieber, 1876							1979	3	5		Notable B
<i>Turrutus socialis</i> (Flor, 1861)	1949	2	2	1882	1	1	1933	1	1		Common
<i>Typhlocyba quercus</i> (Fabricius, 1777)	2023	12	17	2020	8	10	1979	2	2		Common
<i>Ulopa reticulata</i> (Fabricius, 1794)	2019	20	25	1985	1	1	2017	1	1	20	Common
<i>Verdanus abdominalis</i> (Fabricius, 1803)	1959	3	4	1988	20	38	2011	1	2		Common
<i>Viridicerus ustulatus</i> (Mulsant & Rey, 1855)	2022	2	3	2021	3	3	2018	1	1		Common
<i>Wagneripteryx germari</i> (Zetterstedt, 1838)	2019	2	2				1915	1	1		Common
<i>Xanthodelphax flaveola</i> (Flor, 1861)				2008	1	1					Notable A
<i>Zonocyba bifasciata</i> (Boheman, 1851)	1943	1	2				1979	3	3		Local
<i>Zygina angusta</i> Lethierry, 1874	2019	6	6	2019	6	9	2011	1	5		Common
<i>Zygina flammigera</i> (Geoffroy in Fourcroy, 1785)	2018	6	6	2022	6	21	2019	2	8		Common
<i>Zygina ordinaria</i> (Ribaut, 1936)	1942	1	1								Unknown
<i>Zygina schneideri</i> (Günthart, 1974)							1979	2	3		Local
<i>Zygina suavis</i> Rey, 1891	c1940	1	1							16	Local
<i>Zygina tiliae</i> (Geoffroy in Fourcroy, 1785)	2013	2	2								Local
<i>Zyginella pulchra</i> P. Löw, 1885				2020	2	4					
<i>Zyginidia scutellaris</i> (Herrick-Schaeffer, 1838)	2021	9	14	2021	18	32	1978	1	1		Common

Notes

1 ***Cixius cunicularius***

VC58 - Unconfirmed record from 2019.

2 ***Kelisia vittipennis***

Wilson et al (2015) p. 29 - warns that specimens from dry habitats in southern England may be *Kelisia occirrega* which closely resembles *K. vittipennis*; *K. vittipennis* is a species of wet habitats.

3 ***Muellerianella fairmairei***

Wilson et al (2015) p. 30 - *Muellerianella extrusa* previously considered a synonym of *M. fairmairei* is now regarded as a separate species.

4 ***Aphrophora pectoralis***

VC58 - Unconfirmed record dated 2019.

5 ***Neophilaenus campestris***

VC59 - Unconfirmed record dated 2019.

6 ***Anaceratagallia laevis***

Wilson et al (2015) p. 32 - *Anaceratagallia frisia* only recently recognised in Britain and is very similar to *A. laevis*. Possible that some *A. laevis* specimens are *A. frisia*.

7 ***Aphrodes makarovi***

Wilson et al (2015) p. 32 - provides information about the problems identifying *Aphrodes* species. Records of *A. bicincta* have been included in those for *A. makarovi*.

8 ***Evacanthus acuminatus***

Wilson et al (2015) p. 32 - provides information about the problems identifying *Aphrodes* species. Records of *A. bicincta* have been included in those for *A. makarovi*.

9 ***Cicadula aurantipes***

VC59 - Undated record reported in Whittaker (1915).

10 ***Euscelis lineolatus***

VC59 - Unconfirmed record from 2019; undated record probably from the 1930's.

11 ***Macrosteles sordidipennis***

VC59 - Unconfirmed record from 1998.

12 ***Psammotettix putoni***

VC59 - Unconfirmed record from 2011.

13 ***Alebra albostriella***

Wilson et al (2015) p. 36 - reports that *Alebra viridis* which was considered a form of *A. albostriella* has been elevated to specific status. Possible that some *A. albostriella* specimens are *A. viridis*.

14 ***Kybos populi***

VC58 - Unconfirmed record from 2013.

15 ***Arboridia ribauti***

Wilson et al (2015) p. 36 - reports that, as only females of this species had been found in Britain which are difficult to separate from *A. parvula*, doubt remains about its true status.

16 ***Zygina suavis***

VC58 - Undated record reported in Britten et al.

17 ***Edwardsiana lethierryi***

Wilson (2015) p. 37 - describes the nomenclature problems in the *Edwardsiana lethierryi* species group; *E. ulmiphagus* has been introduced as a new species and *E. lethierryi* var *plurispinosa* elevated to a species as *E. plurispinosa*.

18 ***Edwardsiana nigriloba***

VC58 - Unconfirmed record from 1975.

19 ***Edwardsiana tersa***

VC59 - Unconfirmed record made in the period 1959-1978.

20 ***Ulopa reticulata***

VC58 - Unconfirmed record from 2023. VC59 - Unconfirmed record from 2022.

Species not included in the List

Anoscopus duffieldi Le Quesne 1964

Unconfirmed records from VC58 and VC59. Wilson et al (2015) p. 32 notes that this species is known only from Dungeness, Kent.

Anoterostemma ivanhofi (Lethierry 1876)

Two unconfirmed records in VC 59 which are misidentifications. Records held on LERN as this species but redetermined and accepted as *Philaenus spumarius* and *Neophilaenus* sp. on iRecord.

Aphrophora gelida (Walker, 1851)

Several unconfirmed records from all three vice-counties. This species is not established in Britain. The records are misidentifications of the nymphal stages of *Philaenus spumarius*, *Neophilaenus* and *Aphrophora* species during a recent general survey of "Cuckoo-spit" causers.

Aphrophora salicina (Goeze 1778)

A single record dated 1915 in VC59. Wilson et al (2015) p. 11 notes that *Aphrophora salicis forneri* = *A. pectoralis*; *A. salicis unicolor* = *A. salicina*. It is not clear which form this record refers to.

Cicadella lasiocarpae Ossiannilsson 1981

Two unconfirmed records, one each in VC 59 and VC60, which are misidentifications. Records held on LERN as this species but redetermined and accepted as *Philaenus spumarius* on iRecord.

Cixius remotus Edwards 1888

Several unconfirmed records from VC58. Wilson et al (2015) p. 29 notes that this is primarily a species found in salt marsh, shingle, exposed cliff habitats.

Henschia collina (Boheman 1850)

A single unconfirmed record dated 1918 in VC59.

Macrosteles lividus (Edwards 1894)

Specimens held at Manchester Museum were checked to determine if they were *Erotettix cyanae* (Boheman 1845) or *Macrosteles lividus* (Edwards 1894). The aedeagus appeared to confirm that they were *M. lividus*. However the National Recorder has raised the issue that they may actually be *M. fierberi* which has a similar aedeagus but without the well-defined lateral crests indicative of *M. lividus*. A further check needs to be undertaken.

Sources

- Bagnall, RS. (1915): *Homoptera (Typhlocybinae and Psyllidae)*, Lancashire and Cheshire Fauna Committee 2nd Annual Reports and Report of Recorders for 1915, pp. 387 – 389.
- Bagnall, RS. (1916): *Trichochermes walkeri, Forst, and other Homoptera from Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 3rd Annual Report and Reports of Recorders for 1916, p. 82.
- Boardman, P. (2023): *Auchenorrhyncha Records for Natural England projects in Lancashire and Cheshire 2016 - 2022*, K. Fowler.
- Britten, H. (1918): *Hemiptera, Heteroptera and Homoptera in Lancashire and Cheshire in 1918*, Lancashire and Cheshire Fauna Committee 6th Annual Report and Report of Recorders for 1919, pp. 3 – 4.
- Britten, H. (1920): *Hemiptera, Records of Heteroptera and Homoptera captured during 1919*, Lancashire and Cheshire Naturalist Vol. xii, pp. 255 – 258.
- Britten, H. (1921): *Hemiptera, etc. Report on Hemiptera, Heteroptera and Homoptera taken in Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 8th Annual Report and Reports of Recorders for 1921, pp. 47 – 48.
- Britten, H. (1922): *Additions to the list of Hemiptera in Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 9th Annual Report and Reports of Recorders for 1922, pp. 61 - 62, 64 – 65.
- Britten, H. (1928): *Additions to the Insect Fauna of Lancashire and Cheshire for the Year 1928*, Lancashire and Cheshire Fauna Committee 15th Annual Report and Report of Recorders for 1928, p. 16.
- Britten, H. (1930): *Hemiptera - Homoptera*, A Checklist of the Fauna of Lancashire and Cheshire (Part 1) pp. 71 – 75.
- Britten, H. (1933): *Insects and Acari. Additions to the Lancashire and Cheshire Lists for 1933*, Lancashire and Cheshire Fauna Committee 20th Annual Report and Report of Recorders for 1933, p. 46.
- Britten, H. (1934): *Insects and Acari. Additions to the Lancashire and Cheshire Lists for 1934*, Lancashire and Cheshire Fauna Committee 21st Annual Report and Report of Recorders for 1934, p. 29.
- Britten, H. (1935a): *Insects and Acari. Additions and Corrections to the Lancashire and Cheshire Lists for 1935*, Lancashire and Cheshire Fauna Committee 22nd Annual Report and Report of Recorders for 1935, p. 46.
- Britten, H. (1935b): *Reports of Meetings, October 2nd 1935, Notes and Exhibits*, Manchester Entomological Society 32nd, 33rd and 34th Annual Reports and Transactions 1934, 1935, 1936, p. 37.
- Britten, H. (1936): *Insects, Acari, and Terrestrial Isopoda. Additions and Corrections to the Lancashire and Cheshire Lists for 1936*, Lancashire and Cheshire Fauna Committee 23rd Annual Report and Report of Recorders for 1936, p. 43.

- Britten, H. (1938): *Insecta in 1937, 1938 Additions and corrections to the Lancashire and Cheshire Lists*, Lancashire and Cheshire Fauna Committee 25th Annual Report and Report of Recorders for 1938, pp. 55 – 56.
- Britten, H, (1939): *Insecta in 1939. Additions and corrections to the Lancashire and Cheshire Lists*, Lancashire and Cheshire Fauna Committee 26th Report and Report of Recorders for 1939 - 1942 Part 1, p. 26.
- Britten, H. (1942): *Insecta in 1940 -41 -42. Additions and corrections to the Lancashire and Cheshire Lists*, Lancashire and Cheshire Fauna Committee 26th Report and Report of Recorders for 1939 - 1942 Part 1, p. 33.
- Britten, H. (1943): *Insecta in 1943. Additions to the Lancashire and Cheshire Lists*, Lancashire and Cheshire Fauna Committee 27th Report and Report of Recorders for 1943 - 1946, p. 23.
- Britten, H. (1945): *Insecta in 1945. Additions to the Lancashire and Cheshire Lists*, Lancashire and Cheshire Fauna Committee 27th Report and Report of Recorders for 1943 - 1946, p.37.
- Britten, H et al: *Hemiptera Record Cards*, Manchester Museum.
- Cheshire Local Records Office (2023): *Auchenorrhyncha Records extract for Cheshire April 2023 (modified by Tanyptera (2022))*, Cheshire Local Records Office.
- Cooke, B. (1882): *Contribution to a list of the homoptera of Lancashire and Cheshire*, The Naturalist - Journal of the Yorkshire Naturalists' Union and General Field Club Record - New Series - Volume VIII, 1882-3, pp. 71 – 73.
- Coward, TA. (1917): *Notes on Rhyncota collected during 1917*, Lancashire and Cheshire Fauna Committee 4th Annual Report and Reports of Recorders for 1917, p. 36.
- Dunlop, GA. (1916): *Hemiptera*, Lancashire and Cheshire Fauna Committee 3rd Annual Report and Reports of Recorders for 1916, p. 116.
- Edwards, J. (1915): *On Certain British Homoptera*, The Entomologist's Monthly Magazine, Vol. 51, 1915, pp. 206 – 211.
- Foster, S. (2023): *Auchenorrhyncha Records for Cheshire*, S Foster.
- Fowler, K, (2023): *Auchenorrhyncha Records for Lancashire and Cheshire 2017 - 2022*, K Fowler.
- Greater Manchester Local Record Centre (2022): *Auchenorrhyncha Records extract for Cheshire and Lancashire 10 March 2022 (modified by Tanyptera (2022))*, Greater Manchester Local Record Centre.
- Halkyard, H. (1922): *Hymenoptera (Aculeata) in Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 9th Annual Report and Reports of Recorders for 1922, p. 51.
- Hedges, G. (2021): *Auchenorrhyncha records from Tanyptera Projects in 2021*, K Fowler.
- Hedges, G. (2022): *Auchenorrhyncha records from Tanyptera Projects in 2022*, K Fowler.
- Hedges, G & Hunter, T. (2023): *Recent Hemiptera records from Cheshire (VC 58) and South Lancashire (VC 59)*, British Journal of Entomology and Natural History Vol. 33 Part 1 pp. 38 – 39.

Hincks, WD. (1959): *Additions Insect Records of Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 31st Report and Report of Recorders, p. 78.

iRecord (2023): *Auchenorrhyncha Records extract for Cheshire and Lancashire to 8 August 2023*, iRecord.

Lancashire and Cheshire Entomological Society: *Field meetings*, 85th, 86th and 87th Annual Report and Proceedings of the Lancashire and Cheshire Entomological Society, Sessions 1961/1962, 1962/1963 and 1963/1964, Pub. 1966, p. 39; Lancashire and Cheshire Entomological Society Annual Report and Proceedings, Vols. 116 – 120, Sessions 1992 - 1996, pp. 148 -149.

Lancashire Environment Record Network (2022): *Auchenorrhyncha Records extract for Lancashire 3 March 2022 (modified by Tanyptera (2022))*, Lancashire Environment Record Network.

Merseyside BioBank (2022): *Auchenorrhyncha Records extract for South Lancashire 22 March 2022 (modified by Tanyptera (2022))*, Merseyside BioBank.

National Recorder (2022): *Auchenorrhyncha Records extract for Cheshire and Lancashire 24 February 2022*, National Records held by the National Recorder for Auchenorrhyncha.

National Biodiversity Network (2023): *Auchenorrhyncha Records extract for Cheshire and Lancashire 15 August 2023*, National Biodiversity Network.

Payne, K. (1979a): *The Auchenorrhyncha of Haskayne Cutting Nature Reserve, 1979*, P Smith.

Payne, K. (1979b): *Auchenorrhyncha (Homoptera) of Gait Barrows National Nature Reserve, near Arneside, Lancs. (SD/47)*, Entomologist's Monthly Magazine, Vol. 114, p. 210.

Ramsay, AJ. (2010): *Recent Hemiptera records from Cheshire*, Journal of the Lancashire and Cheshire Entomological Society, Vol. 133 & 134, Sessions 2009 & 2010, p. 5.

Shaw, S. (1951): *Insects in 1950-1951. Additions to the Lancashire and Cheshire Lists*, Lancashire and Cheshire Fauna Committee 30th Report and Report of Recorders, p. 58.

Tanyptera Trust (2022): *Verification of unconfirmed LERC records, October 2022*, K Fowler.

Thomas, J. (2006): *Issus muscaeformis (Schrank) (Hemiptera: Issidae) a speciality of North West England*, Journal of the Lancashire and Cheshire Entomological Society, Vol. 130, Session 2006, p. 51 – 52.

Warrington Field Club (1911): *Warrington Field Club: Entomological Report*, The Lancashire Naturalist Vol. iii, pp. 354 – 355.

Whittaker, O. (1908): *A Preliminary Catalogue of the Hemiptera-Homoptera of Lancashire and Cheshire*, Thirty Second Annual Report and Proceedings of the Lancashire and Cheshire Entomological Society, 1908, pp. 19 – 22.

Whittaker, O. (1915): *Hemiptera - Homoptera in Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 2nd Annual Reports and Report of Recorders for 1915, pp. 158 – 160.

Changes from Published Name

Published Name	Scientific name	Source used for resolution
<i>Acocephalus albifrons</i> L.	<i>Anoscopus albifrons</i> (Linnaeus, 1758)	Le Quesne & Payne (1981) - <i>Aphrodes albifrons</i>
<i>Acocephalus bifasciatus</i> L.	<i>Planaphrodes bifasciata</i> (Linnaeus, 1758)	Le Quesne & Payne (1981) - <i>Aphrodes bifasciatus</i>
<i>Acocephalus flavostriatus</i> Don.	<i>Anoscopus flavostriatus</i> (Donovan, 1799)	Le Quesne & Payne (1981) - <i>Aphrodes flavostriatus</i>
<i>Acocephalus fuscofasciatus</i> Goeze	<i>Anoscopus serratulae</i> (Fabricius, 1775)	Le Quesne & Payne (1981) - <i>Aphrodes serratulae</i>
<i>Acocephalus nervosus</i> Schr.	<i>Aphrodes makarovi</i> Zachvatkin, 1948	Le Quesne & Payne (1981) - <i>Aphrodes bicinctus</i>
<i>Acocephalus rusticus</i> F.	<i>Aphrodes makarovi</i> Zachvatkin, 1948	Le Quesne & Payne (1981) - <i>Aphrodes bicinctus</i>
<i>Adarrus ocellaris</i> (Fallen)	<i>Errastunus ocellaris</i> (Fallén, 1806)	British Bugs has genus as <i>Adarrus</i> in gallery and <i>Errastunus</i> in Checklist
<i>Agalia venosa</i> Fall.	<i>Anaceratagallia venosa</i> (Geoffroy in Fourcroy, 1785)	mis-spelling/mis-print assumed
<i>Agallia puncticeps</i> Germ.	<i>Agallia consobrina</i> Curtis, 1833	Le Quesne & Payne (1981)
<i>Agallia venosa</i> Fall.	<i>Anaceratagallia venosa</i> (Geoffroy in Fourcroy, 1785)	British Bugs
<i>Alebra albostriella</i> f <i>wahlbergi</i> Boh.	<i>Alebra wahlbergi</i> (Boheman, 1845)	Global Biodiversity Information Facility
<i>Alligidius commutatus</i> Scott	<i>Allygidius commutatus</i> Fieber 1872	mis-spelling/mis-print assumed
<i>Aphodus flavostriatus</i> (Don.)	<i>Anoscopus flavostriatus</i> (Donovan, 1799)	Britten et al amendment - was <i>Acocephalus flavostriatus</i>
<i>Aphrodes albifrons</i> L.	<i>Anoscopus albifrons</i> (Linnaeus, 1758)	British Bugs
<i>Aphrodes bicincta</i> (Shrank, 1776)	<i>Aphrodes makarovi</i> Zachvatkin, 1948	pers. comm. A. Stewart
<i>Aphrodes bicinctus</i> (Shrank, 1776)	<i>Aphrodes makarovi</i> Zachvatkin, 1948	British Bugs - assigns <i>bicinctus</i> to several <i>Aphrodes</i> species - <i>Aphrodes bicincta</i>
<i>Aphrodes bifasciatus</i> L.	<i>Planaphrodes bifasciata</i> (Linnaeus, 1758)	British Bugs
<i>Aphrodes flavostriatus</i> Don.	<i>Anoscopus flavostriatus</i> (Donovan, 1799)	British Bugs
<i>Aphrodes fuscofasciata</i> (Goeze)	<i>Anoscopus serratulae</i> (Fabricius, 1775)	British Bugs
<i>Aphrodes histrionicus</i> F.	<i>Anoscopus histrionicus</i> (Fabricius, 1794)	British Bugs
<i>Aphrophora salicis</i> DeG.	<i>Aphrophora salicina</i> (Goeze, 1778)	1) Le Quesne & Payne (1981) 2) Wilson et al (2015) - <i>salicis forneri</i> = <i>A. pectoralis</i> ; <i>salicis unicolor</i> = <i>salicina</i> Single record from several sources - treated as unconfirmed
<i>Aphrophora spumaria</i> L.	<i>Aphrophora alni</i> (Fallén, 1805)	Le Quesne & Payne (1981)
<i>Araeopus pulchellus</i> Curt	<i>Delphax pulchellus</i> (Curtis, 1833)	British Bugs
<i>Athysanus atricapillus</i> Boh.	<i>Limotettix atricapillus</i> (Boheman, 1845)	Global Biodiversity Information Facility
<i>Athysanus brevipennis</i> Kbm.	<i>Streptanus marginatus</i> (Kirshbaum, 1858)	Le Quesne & Payne (1981)
<i>Athysanus grisescens</i> Lett. (sic)	<i>Macustus grisescens</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Athysanus lineolatus</i> Brullé	<i>Euscelis lineolatus</i> Brullé, 1832	Le Quesne & Payne (1981)
<i>Athysanus melanopsis</i> Hdy.	<i>Hardya melanopsis</i> (Hardy, 1850)	Le Quesne & Payne (1981)
<i>Athysanus obsoletus</i> Kbm.	<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	Global Biodiversity Information Facility
<i>Athysanus obsoletus</i> v. <i>piceus</i> Scott.	<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	Global Biodiversity Information Facility
<i>Athysanus plebejus</i> Fall.	<i>Euscelis incisus</i> (Kirshbaum, 1858)	Le Quesne & Payne (1981)
<i>Athysanus prasinus</i> Fall.	<i>Thamnotettix confinis</i> (Zetterstedt, 1828)	Unable to find genus change, but Cooke (1882) records appear in Whittaker (1908) as <i>Thamnotettix prasinus</i>
<i>Athysanus sahlbergi</i> Reut.	<i>Streptanus aemulans</i> (Kirshbaum, 1868)	Le Quesne & Payne (1981)
<i>Athysanus sejungendus</i> Kbm.	<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	Global Biodiversity Information Facility
<i>Athysanus sordidus</i> Zett.	<i>Streptanus sordidus</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Athysanus striola</i> Fall.	<i>Limotettix striola</i> (Fallén, 1806)	Global Biodiversity Information Facility
<i>Athysanus subfusculus</i> Fall.	<i>Speudotettix subfusculus</i> (Fallén, 1806)	Global Biodiversity Information Facility
<i>Balclutha punctatus</i> Fab.	<i>Balclutha punctata</i> (Fabricius, 1775)	World Auchenorrhyncha Database

Published Name	Scientific name	Source used for resolution
<i>Batracomorphus lanio</i> L.	<i>Iassus lanio</i> (Linnaeus, 1761)	World Auchenorrhyncha Database
<i>Batracomorphus lanis</i> L.	<i>Iassus lanio</i> (Linnaeus, 1761)	mis-spelling/mis-print assumed
<i>Bythoscopus alni</i> Scvhrlk.	<i>Oncopsis alni</i> (Schrank, 1801)	Le Quesne & Payne (1981)
<i>Bythoscopus flavigollis</i> L.	<i>Oncopsis flavigollis</i> (Linnaeus, 1761)	Le Quesne & Payne (1981)
<i>Bythoscopus lanio</i> (L.)	<i>Iassus lanio</i> (Linnaeus, 1761)	Le Quesne & Payne (1981)
<i>Bythoscopus rufusculus</i> Fieb.	<i>Oncopsis tristis</i> (Zetterstedt, 1840)	World Auchenorrhyncha Database
<i>Cercopis sanguinolenta</i> L.	<i>Cercopis vulnerata</i> Illiger in Rossi, 1807	1) mis-spelling/mis-print - <i>Cercopis sanguinolenta</i> assumed 2) Le Quesne & Payne (1981)
<i>Chlorita flavescens</i> F.	<i>Empoasca vitis</i> (Göthe, 1875)	Britten et al amendment - <i>Empoasca flavescens</i>
<i>Chlorita viridula</i> Fall.	<i>Empoasca decipiens</i> Paoli, 1930	Wilson et al (2015)
<i>Cicadella abrotani</i> Dougl.	<i>Eupteryx artemisiae</i> (Kirschbaum, 1868)	Le Quesne & Payne (1981)
<i>Cicadella atropunctata</i> Goeze	<i>Eupteryx atropunctata</i> (Goeze, 1778)	Le Quesne & Payne (1981)
<i>Cicadella aurata</i> L	<i>Eupteryx aurata</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Cicadella britteni</i> Edw.	<i>Eupteryx cyclops</i> Matsumura, 1906	Le Quesne & Payne (1981)
<i>Cicadella collina</i> Flor	<i>Eupteryx florida</i> Ribaut, 1952	Le Quesne & Payne (1981)
<i>Cicadella concinna</i> Germ.	<i>Eurhadina concinna</i> (Germar, 1831)	Global Biodiversity Information Facility
<i>Cicadella germari</i> Zett.	<i>Wagneripteryx germari</i> (Zetterstedt, 1838)	Britten et al amendment - genus <i>Cicadella</i> from <i>Eupteryx</i>
<i>Cicadella loewii</i> Then	<i>Eurhadina loewii</i> (Then, 1886)	Le Quesne & Payne (1981)
<i>Cicadella mellissae</i> Curt	<i>Eupteryx mellissae</i> Curtis, 1837	Le Quesne & Payne (1981)
<i>Cicadella notata</i> Curt.	<i>Eupteryx notata</i> Curtis, 1837	Le Quesne & Payne (1981)
<i>Cicadella pulchella</i> Germ.	<i>Eurhadina pulchella</i> (Fallén, 1806)	Global Biodiversity Information Facility
<i>Cicadella signatipennis</i> Boh.	<i>Eupteryx signatipennis</i> (Bohemian, 1847)	Le Quesne & Payne (1981)
<i>Cicadella stachydearum</i> Hardy	<i>Eupteryx stachydearum</i> (Hardy, 1850)	Le Quesne & Payne (1981)
<i>Cicadella tenella</i> Fall.	<i>Eupteryx tenella</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Cicadella urticae</i> Fab	<i>Eupteryx urticae</i> (Fabricius, 1803)	Le Quesne & Payne (1981)
<i>Cicadella urticae</i> Fab. forma <i>leucocnema</i> Oshn.	<i>Eupteryx urticae</i> (Fabricius, 1803)	World Auchenorrhyncha Database
<i>Cicadella vittata</i> L.	<i>Eupteryx vittata</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Cicadula metria</i> Fl.	<i>Erzaleus metrius</i> (Flor, 1861)	Global Biodiversity Information Facility
<i>Cicadula septemnotata</i> Fall.	<i>Macrosteles septemnotatus</i> (Fallén, 1806)	Global Biodiversity Information Facility
<i>Cicadula sexnotata</i> Fall.	<i>Macrosteles sexnotatus</i> (Fallén, 1806)	World Auchenorrhyncha Database
<i>Cicadula sex-notata</i> Fall.	<i>Macrosteles sexnotatus</i> (Fallén, 1806)	World Auchenorrhyncha Database as <i>Cicadula 6-notata</i>
<i>Cicadula sulphurella</i> (Zett.)	<i>Elymana sulphurella</i> (Zetterstedt, 1828)	Britten et al amendment - genus <i>Cicadula</i> from <i>Limotettix</i>
<i>Cicadula viridis-grisea</i> Edw.	<i>Macrosteles viridigriseus</i> (Edwards, 1924)	1) Le Quesne & Payne (1981) <i>Cicadula</i> - <i>Macrosteles</i> 2) <i>viridi-grisea</i> - <i>viridigriseus</i> assumed
<i>Cicadula warioni</i> Leth.	<i>Macrosteles horvathi</i> (W. Wagner, 1935)	Le Quesne & Payne (1981)
<i>Cixius brachycranus</i> Scott.	<i>Cixius distinguendus</i> Kirschbaum, 1868	Wilson et al (2015)
<i>Cixius pilosus</i> Oliv.	<i>Tachycixius pilosus</i> (Olivier, 1791)	Le Quesne & Payne (1981)
<i>Cixius scotti</i> Edw.	<i>Cixius simplex</i> (Herrick-Schäffer, 1835)	Le Quesne & Payne (1981)
<i>Cixius stigmaticus</i> Germ.	<i>Cixius similis</i> Kirschbaum, 1868	Wilson et al (2015)
<i>Conomelus lepidus</i> Boh.	<i>Euconomelus lepidus</i> (Bohemian, 1847)	Global Biodiversity Information Facility
<i>Conomelus limbatus</i> Fal.	<i>Conomelus anceps</i> (Germar, 1821)	Le Quesne & Payne (1981)
<i>Conomemus anceps</i> (Germar)	<i>Conomelus anceps</i> (Germar, 1821)	Typographical error assumed
<i>Criomorphus albomarginata</i> Curt	<i>Criomorphus albomarginatus</i> Curtis, 1833	Global Biodiversity Information Facility
<i>Criomorphus pteridis</i> (Boh.)	<i>Ditropis pteridis</i> (Spinola, 1839)	Le Quesne & Payne (1981)

Published Name	Scientific name	Source used for resolution
<i>Cybus smaragdulus</i> Fall.	<i>Kybos smaraggula</i> (Fallén, 1806)	Global Biodiversity Information Facility
<i>Delphacinus mesomelus</i> Boh.	<i>Delphacinus mesomelas</i> (Boheman, 1850)	World Auchenorrhyncha Database
<i>Delphax aubei</i> Perris.	<i>Muirodelphax aubei</i> (Perris, 1857)	Le Quesne & Payne (1981)
<i>Delphax boldi</i> Scott	<i>Gravesteiniella boldi</i> (Scott, 1870)	Le Quesne & Payne (1981)
<i>Delphax difficilis</i> Edw.	<i>Javesella dubia</i> (Kirschbaum, 1868)	Le Quesne & Payne (1981)
<i>Delphax discolor</i> Boh.	<i>Javesella discolor</i> (Boheman, 1847)	Le Quesne & Payne (1981)
<i>Delphax discreta</i> Edw.	<i>Javesella obscurella</i> (Boheman, 1847)	Le Quesne & Payne (1981)
<i>Delphax elegantula</i> Boh.	<i>Hyledelphax elegantula</i> (Boheman, 1847)	Le Quesne & Payne (1981)
<i>Delphax fairmairei</i> Perris.	<i>Muellerianella fairmairei</i> (Perris, 1857)	Le Quesne & Payne (1981)
<i>Delphax pellucida</i> F.	<i>Javesella pellucida</i> (Fabricius, 1794)	Le Quesne & Payne (1981)
<i>Deltoccephalus abdominalis</i> F.	<i>Verdanus abdominalis</i> (Fabricius, 1803)	Le Quesne & Payne (1981) - <i>Diplocolenus abdominalis</i>
<i>Deltoccephalus collinus</i> Dahl.	<i>Arthaldeus pascuellus</i> (Fallén, 1826)	Britten (1930) entry for <i>Deltoccephalus pascuellus</i> includes <i>collinus</i> Dahl.
<i>Deltoccephalus coroniceps</i> Kbm.	<i>Recilia coronifera</i> (Marshall, 1866)	Le Quesne & Payne (1981)
<i>Deltoccephalus distinguendus</i> Fl.	<i>Jassargus pseudocellaris</i> (Flor, 1861)	Le Quesne & Payne (1981) - <i>Jassargus distinguendus</i>
<i>Deltoccephalus flori</i> Fieb.	<i>Jassargus flori</i> (Fieber, 1869)	Le Quesne & Payne (1981)
<i>Deltoccephalus normani</i> Scott	<i>Psammotettix cephalotes</i> (Herrick-Schäffer, 1834)	Le Quesne & Payne (1981)
<i>Deltoccephalus ocellaris</i> Fall.	<i>Errastunus ocellaris</i> (Fallén, 1806)	World Auchenorrhyncha Database
<i>Deltoccephalus panzeri</i> Fl.	<i>Cosmotettix panzeri</i> (Flor, 1861)	Le Quesne & Payne (1981)
<i>Deltoccephalus pascuellus</i> Fall.	<i>Arthaldeus pascuellus</i> (Fallén, 1826)	Le Quesne & Payne (1981)
<i>Deltoccephalus punctum</i> Fl.	<i>Arocephalus punctum</i> (Flor, 1861)	Le Quesne & Payne (1981)
<i>Deltoccephalus sabulicola</i> Curt.	<i>Psammotettix sabulicola</i> (Curtis, 1837)	Le Quesne & Payne (1981)
<i>Deltoccephalus socialis</i> Flor.	<i>Turrtutus socialis</i> (Flor, 1861)	Le Quesne & Payne (1981)
<i>Deltoccephalus striatus</i> L.	<i>Psammotettix nodosus</i> (Ribaut, 1925)	Le Quesne & Payne (1981) - <i>Psammotettix striatus</i>
<i>Deltoccephalus sursumflexus</i> Then.	<i>Jassargus sursumflexus</i> (Then, 1901)	Le Quesne & Payne (1981)
<i>Deltoccephalus thenii</i> Edw.	<i>Psammotettix confinis</i> (Dahlbom, 1850)	Le Quesne & Payne (1981)
<i>Dicraneura flavipennis</i> Zett.	<i>Notus flavipennis</i> (Zetterstedt, 1828)	Global Biodiversity Information Facility - <i>Dicranoneura</i> as a synonym of <i>Dikranoneura</i>
<i>Dicraneura mollicula</i> Boh.	<i>Emelyanoviana mollicula</i> (Boheman, 1845)	Global Biodiversity Information Facility - <i>Dicranoneura</i> as a synonym of <i>Dikranoneura</i>
<i>Dicraneura similis</i> Edw.	<i>Forcipata citrinella</i> (Zetterstedt, 1828)	World Auchenorrhyncha Database
<i>Dicraneura variata</i> Hardy.	<i>Dikraneura variata</i> Hardy, 1850	Global Biodiversity Information Facility - <i>Dicranoneura</i> as a synonym of <i>Dikranoneura</i>
<i>Dikraneura flavipennis</i> Zett.	<i>Notus flavipennis</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Dikraneura mollicula</i> Boh.	<i>Emelyanoviana mollicula</i> (Boheman, 1845)	Le Quesne & Payne (1981)
<i>Dikraneura similis</i> Edw.	<i>Forcipata citrinella</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Dikroneura variata</i> Hardy	<i>Dikraneura variata</i> Hardy, 1850	mis-spelling/mis-print assumed
<i>Diplocolenus abdominalis</i> F.	<i>Verdanus abdominalis</i> (Fabricius, 1803)	British Bugs
<i>Edwardsiana bergmanni</i>	<i>Edwardsiana bergmani</i> (Tullgren, 1916)	World Auchenorrhyncha Database
<i>Edwardsiana hippocastani</i>	<i>Edwardsiana lethierryi</i> (Edwards, 1881)	Wilson et al (2015)
<i>Empoasca butleri</i> Edw.	<i>Kybos butleri</i> (Edwards, 1908)	Le Quesne & Payne (1981)
<i>Empoasca flavescens</i> Fab.	<i>Empoasca vitis</i> (Göthe, 1875)	Le Quesne & Payne (1981)
<i>Empoasca populi</i> Edw.	<i>Kybos populi</i> (Edwards, 1908)	Le Quesne & Payne (1981)
<i>Empoasca smaragdula</i> Fall.	<i>Kybos smaraggula</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Empoasca solani-tuberosi</i> Curt.	<i>Empoasca vitis</i> (Göthe, 1875)	Britten et al amendment - species annotated - <i>Empoasca flavescens</i>
<i>Empoasca viridula</i> Fall	<i>Empoasca decipiens</i> Paoli, 1930	Britten et al amendment - genus <i>Chlorita</i> changed to <i>Empoasca</i>

Published Name	Scientific name	Source used for resolution
<i>Erotettix cyanea</i> Boh.	<i>Macrosteles lividus</i> (Edwards 1894)	Specimens at Manchester Museum; match <i>Macrosteles lividus</i> . Observation from the National Recorder has suggested specimens are <i>M. fiederi</i> . Records treated as unconfirmed.
<i>Erythroneura alneti</i> Dhlb.	<i>Alnetoidea alneti</i> (Dahlbom, 1850)	Le Quesne & Payne (1981)
<i>Erythroneura angusta</i> Edw.	<i>Zygina angusta</i> Lethierry, 1874	Le Quesne & Payne (1981)
<i>Erythroneura concinna</i> Toll.	<i>Zygina suavis</i> Rey, 1891	Le Quesne & Payne (1981)
<i>Erythroneura coryli</i> Toll.	<i>Alnetoidea alneti</i> (Dahlbom, 1850)	Le Quesne & Payne (1981)
<i>Erythroneura flammigera</i> Geoff.	<i>Zygina flammigera</i> (Geoffroy in Fourcroy, 1785)	Le Quesne & Payne (1981)
<i>Erythroneura neglecta</i> Edw.	<i>Zygina angusta</i> Lethierry, 1874	Le Quesne & Payne (1981)
<i>Erythroneura ordinaria</i> Rib.	<i>Zygina ordinaria</i> (Ribaut, 1936)	Le Quesne & Payne (1981)
<i>Erythroneura pallidifrons</i> Edw.	<i>Hauptidia maroccana</i> (Melichar, 1907)	Le Quesne & Payne (1981)
<i>Erythroneura tiliae</i> Geoff.	<i>Zygina tiliae</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Euacanthus acuminatus</i> F.	<i>Evacanthus acuminatus</i> (Fabricius, 1794)	Le Quesne & Payne (1981)
<i>Euacanthus interruptus</i> L.	<i>Evacanthus interruptus</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Eupelix depressa</i> F.	<i>Eupelix cuspidata</i> (Fabricius, 1775)	Le Quesne & Payne (1981)
<i>Eupelix producta</i> Germ.	<i>Eupelix cuspidata</i> (Fabricius, 1775)	Le Quesne & Payne (1981)
<i>Eupteryx abrotani</i> Dgl.	<i>Eupteryx artemisiae</i> (Kirschbaum, 1868)	Le Quesne & Payne (1981)
<i>Eupteryx atropunctatus</i> Goeze.	<i>Eupteryx atropunctata</i> (Goeze, 1778)	Britten et al amendment
<i>Eupteryx auratus</i> L.	<i>Eupteryx aurata</i> (Linnaeus, 1758)	World Auchenorrhyncha Database
<i>Eupteryx britteni</i> Edw.	<i>Eupteryx cyclops</i> Matsumura, 1906	Le Quesne & Payne (1981)
<i>Eupteryx collina</i> Flor.	<i>Eupteryx florida</i> Ribaut, 1952	Le Quesne & Payne (1981)
<i>Eupteryx collinus</i> Flor.	<i>Eupteryx florida</i> Ribaut, 1952	Global Biodiversity Information Facility
<i>Eupteryx concinna</i> Germ.	<i>Eurhadina concinna</i> (Germar, 1831)	Le Quesne & Payne (1981)
<i>Eupteryx germari</i> Zett.	<i>Wagneripteryx germari</i> (Zetterstedt, 1838)	1) Le Quesne & Payne (1981) - <i>Aguriahana germari</i> 2) British Bugs
<i>Eupteryx loewii</i> Then.	<i>Eurhadina loewii</i> (Then, 1886)	Le Quesne & Payne (1981)
<i>Eupteryx mellissae</i> Curt.	<i>Eupteryx melissae</i> Curtis, 1837	World Auchenorrhyncha Database
<i>Eupteryx notatus</i> Curt.	<i>Eupteryx notata</i> Curtis, 1837	World Auchenorrhyncha Database
<i>Eupteryx pictus</i> F.	<i>Eupteryx atropunctata</i> (Goeze, 1778)	1) Le Quesne & Payne (1981) - <i>Eupteryx picta</i> 2) Wilson et al (2015)
<i>Eupteryx pulchella</i> Fall.	<i>Eurhadina pulchella</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Eupteryx pulchellus</i> Fall.	<i>Eurhadina pulchella</i> (Fallén, 1806)	World Auchenorrhyncha Database
<i>Eupteryx tenellus</i> Fall.	<i>Eupteryx tenella</i> (Fallén, 1806)	World Auchenorrhyncha Database
<i>Eupteryx vittatus</i> L.	<i>Eupteryx vittata</i> (Linnaeus, 1758)	World Auchenorrhyncha Database
<i>Euscelis brevipennis</i> Kbm.	<i>Streptanus marginatus</i> (Kirshbaum, 1858)	Britten et al amendment genus from <i>Athysanus</i>
<i>Euscelis grisescens</i> Zett.	<i>Macustus grisescens</i> (Zetterstedt, 1828)	1) Britten et al amendment genus from <i>Athysanus</i> 2) Le Quesne & Payne (1981)
<i>Euscelis obsoletus</i> Kbm.	<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	British Bugs
<i>Euscelis obsoletus</i> Kbm. f. <i>piceus</i> Scott	<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	World Auchenorrhyncha Database
<i>Euscelis plebejus</i> Fall.	<i>Euscelis incisus</i> (Kirshbaum, 1858)	Le Quesne & Payne (1981)
<i>Euscelis sahlbergi</i> Reut.	<i>Streptanus aemulans</i> (Kirshbaum, 1868)	Britten et al amendment genus from <i>Athysanus</i>
<i>Euscelis sejungendus</i> Kbm.	<i>Conosanus obsoletus</i> (Kirshbaum, 1858)	Le Quesne & Payne (1981)
<i>Euscelis sordidus</i> Zett.	<i>Streptanus sordidus</i> (Zetterstedt, 1828)	Britten et al amendment genus from <i>Athysanus</i>
<i>Euscelis variegata</i> (Kirshbaumer)	<i>Euscelidius variegatus</i> (Kirshbaum, 1858)	1) <i>variegata</i> - <i>variegatus</i> assumed 2) Le Quesne & Payne (1981)
<i>Gnathodes punctatus</i> Thunb.	<i>Balclutha punctata</i> (Fabricius, 1775)	Global Biodiversity Information Facility - <i>Gnathodes</i> is a synonym of <i>Balclutha</i>

Published Name	Scientific name	Source used for resolution
<i>Graphocephala coccinea</i> (Forst.)	<i>Graphocephala fennahi</i> Young, 1977	Le Quesne & Payne (1981)
<i>Idiocerus adustus</i> Schaff.	<i>Idiocerus stigmatalis</i> Lewis, 1834	Le Quesne & Payne (1981)
<i>Idiocerus cognatus</i> Fieb.	<i>Tremulicerus distinguendus</i> (Kirschbaum, 1868)	Le Quesne & Payne (1981) - <i>Idiocerus distinguendus</i>
<i>Idiocerus confusus</i> Flor.	<i>Populicerus confusus</i> (Flor, 1861)	British Bugs
<i>Idiocerus distinguendus</i> Kbm.	<i>Tremulicerus distinguendus</i> (Kirschbaum, 1868)	British Bugs
<i>Idiocerus fulgidus</i> Feb.	<i>Populicerus nitidissimus</i> (Herrich-Schäffer, 1835)	1) Le Quesne & Payne (1981) - <i>Idiocerus nitidissimus</i> 2) British Bugs
<i>Idiocerus laminatus</i> Fl.	<i>Populicerus laminatus</i> (Flor, 1861)	British Bugs
<i>Idiocerus populi</i> L.	<i>Populicerus populi</i> (Linnaeus, 1761)	British Bugs
<i>Idiocerus scurra</i> Germ.	<i>Rhytidodus decimusquartus</i> (Schrank, 1776)	Le Quesne & Payne (1981)
<i>Idiocerus tremulae</i> Estl.	<i>Tremulicerus tremulae</i> (Estlund, 1796)	British Bugs
<i>Idiocerus varius</i> Fab.	<i>Idiocerus similis</i> Kirschbaum, 1868	Le Quesne & Payne (1981)
<i>Idiocerus vitreus</i> F.	<i>Tremulicerus vitreus</i> (Fabricius, 1803)	British Bugs
<i>Jassargus distinguendus</i> Fl.	<i>Jassargus pseudocellaris</i> (Flor, 1861)	Wilson et al (2015)
<i>Jassus mixtus</i> Fab.	<i>Allygus mixtus</i> (Fabricius, 1794)	Le Quesne & Payne (1981)
<i>Kelisia pannonica</i>	<i>Kelisia sabulicola</i> Wagner 1952	1) Le Quesne & Payne (1981) 2) Le Quesne & Payne (1981) - <i>pannonica</i> also a misident of <i>ribauti</i> Corresponding records of <i>Kelisia sabulicola</i> from other sources
<i>Kelisia perspicillata</i> Boh.	<i>Anakelisia perspicillata</i> (Boheman, 1845)	British Bugs
<i>Kybos smaragdulus</i> (Fallen)	<i>Kybos smaragdula</i> (Fallén, 1806)	Global Biodiversity Information Facility
<i>Liburnia discolor</i> Boh.	<i>Javesella discolor</i> (Boheman, 1847)	Le Quesne & Payne (1981)
<i>Liburnia neglecta</i> Flor.	<i>Muellerianella fairmairei</i> (Perris, 1857)	1) Le Quesne & Payne (1981) - <i>Muellerianella brevipennis</i> 2) Wilson et al. (2015) 3) In National Records as <i>Muellerianella fairmairei</i>
<i>Liburnia pellucida</i> F.	<i>Javesella pellucida</i> (Fabricius, 1794)	Le Quesne & Payne (1981)
<i>Limotettix antennata</i> Boh.	<i>Cicadula frontalis</i> (Herrich-Schäffer, 1835)	Le Quesne & Payne (1981)
<i>Limotettix atricapilla</i> Boh.	<i>Limotettix atricapillus</i> (Boheman, 1845)	World Auchenorrhyncha Database
<i>Limotettix aurantipes</i> Edw.	<i>Cicadula aurantipes</i> (Edwards, 1894)	Le Quesne & Payne (1981)
<i>Limotettix frontalis</i> Boh.	<i>Cicadula frontalis</i> (Herrich-Schäffer, 1835)	Le Quesne & Payne (1981)
<i>Limotettix nigricornis</i> Shlb.	<i>Cicadula quinquepunctata</i> (Boheman, 1845)	Le Quesne & Payne (1981)
<i>Limotettix persimilis</i> Edw.	<i>Cicadula persimilis</i> (Edwards, 1920)	Le Quesne & Payne (1981)
<i>Limotettix quadrinotata</i> Fab.	<i>Cicadula quadrinotata</i> (Fabricius, 1794)	Le Quesne & Payne (1981)
<i>Limotettix sulphurella</i> Zett.	<i>Elymana sulphurella</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Macropsis lanio</i> L.	<i>Iassus lanio</i> (Linnaeus, 1761)	Global Biodiversity Information Facility
<i>Macropsis mendax</i>	<i>Macropsis glandacea</i> (Fieber, 1868)	Wilson et al (2015)
<i>Macropsis microcephala</i> H.S.	<i>Batracomorphus irroratus</i> Lewis, 1834	Global Biodiversity Information Facility - <i>Macropsis microcephalus</i> is a synonym of <i>Batracomorphus irroratus</i> ; <i>Macropsis microphala</i> is also listed as a synonym
<i>Macropsis nassata</i> Germ.	<i>Macropsis fuscula</i> (Zetterstedt, 1828)	1) Le Quesne & Payne (1981) - <i>nassatus</i> as a synonym of <i>fuscula</i> 2) Britten et al - (<i>Pediopsis</i>) (<i>Macropsis</i>) <i>nassata</i> Germ amended to <i>fuscula</i> Zett
<i>Macropsis rubi</i> Boh.	<i>Macropsis fuscula</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Macropsis tibialis</i> Scott.	<i>Macropsis scutellata</i> (Boheman, 1845)	Le Quesne & Payne (1981)
<i>Macrosteles metria</i> Flor	<i>Erzaleus metrius</i> (Flor, 1861)	Britten et al amendment genus <i>Macrosteles</i> from <i>Cicadula</i>
<i>Macrosteles salina</i> Reut.	<i>Macrosteles sordidipennis</i> (Stål, 1858)	Le Quesne & Payne (1981)

Published Name	Scientific name	Source used for resolution
<i>Macrosteles septemnotata</i> Fall.	<i>Macrosteles septemnotatus</i> (Fallén, 1806)	World Auchenorrhyncha Database
<i>Macrosteles sexnotata</i> Fall.	<i>Macrosteles sexnotatus</i> (Fallén, 1806)	World Auchenorrhyncha Database
<i>Macrosteles viridigrisea</i> Edw.	<i>Macrosteles viridigriseus</i> (Edwards, 1924)	World Auchenorrhyncha Database
<i>Mocuellus metrius</i> (Flor)	<i>Erzaleus metrius</i> (Flor, 1861)	British Bugs
<i>Mocydiopsis attenuata</i> Germ.	<i>Mocydiopsis attenuata</i> (Germar, 1821)	Le Quesne & Payne (1981)
<i>Oncopsis rufusculus</i> Fieb.	<i>Oncopsis tristis</i> (Zetterstedt, 1840)	1) <i>fusculus</i> - <i>fuscula</i> assumed 2) Le Quesne & Payne (1981)
<i>Ophiola corniculatus</i> Marsh.	<i>Ophiola cornicula</i> (Marshall, 1866)	1) Le Quesne & Payne (1981) - <i>Scleroracus corniculatus</i> 2) British Bugs
<i>Paluda adumbrata</i> (Sahlberg)	<i>Rhopalopyx adumbrata</i> (C. Sahlberg, 1842)	British Bugs
<i>Paramesus nervosus</i> (Fall.)	<i>Paramesus obtusifrons</i> (Stål, 1853)	Le Quesne & Payne (1981)
<i>Pediopsis cerea</i> Germ.	<i>Macropsis cerea</i> (Germar, 1836)	World Auchenorrhyncha Database
<i>Pediopsis cereus</i> Germ.	<i>Macropsis cerea</i> (Germar, 1836)	World Auchenorrhyncha Database
<i>Pediopsis glandacea</i> Fieb.	<i>Macropsis glandacea</i> (Fieber, 1868)	World Auchenorrhyncha Database
<i>Pediopsis impura</i> Boh.	<i>Macropsis impura</i> (Boheman, 1847)	Global Biodiversity Information Facility
<i>Pediopsis nassatus</i> Germ.	<i>Macropsis fuscula</i> (Zetterstedt, 1828)	1) Global Biodiversity Information Facility - <i>Pediopsis nassata</i> Germar 1831 as a synonym of <i>Macropsis fuscula</i> 2) Britten et al - (<i>Pediopsis</i>) (<i>Macropsis</i>) <i>nassata</i> Germ amended to <i>fuscula</i> Zett.
<i>Pediopsis rubi</i> Boh.	<i>Macropsis fuscula</i> (Zetterstedt, 1828)	Britten et al (<i>Pediopsis</i>) (<i>Macropsis</i>) <i>rubi</i> Boh.= <i>nassata</i> Germ amended to <i>fuscula</i> Zett.
<i>Pediopsis scutellata</i> Boh.	<i>Macropsis scutellata</i> (Boheman, 1845)	Global Biodiversity Information Facility
<i>Pediopsis tibialis</i> Scott.	<i>Macropsis scutellata</i> (Boheman, 1845)	World Auchenorrhyncha Database
<i>Pediopsis virescens</i> F. v. <i>nassata</i> Germ.	<i>Macropsis fuscula</i> (Zetterstedt, 1828)	1) Treated as <i>Pediopsis nassata</i> 2) Britten et al - (<i>Pediopsis</i>) (<i>Macropsis</i>) <i>nassata</i> Germ amended to <i>Macropsis fuscula</i> Zett
<i>Philaenus campestris</i> Fall.	<i>Neophilaenus campestris</i> (Fallén, 1805)	Le Quesne & Payne (1981)
<i>Philaenus exclamatorius</i> Thunb.	<i>Neophilaenus exclamatorius</i> (Thunberg, 1784)	Le Quesne & Payne (1981)
<i>Philaenus leucophthalmus</i> L.	<i>Philaenus spumarius</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Philaenus lineatus</i> L.	<i>Neophilaenus lineatus</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Psammotettix halophilus</i> Edw.	<i>Psammotettix putoni</i> (Then, 1898)	Wilson et al (2015)
<i>Psammotettix striatus</i> L.	<i>Psammotettix nodosus</i> (Ribaut, 1925)	1) Le Quesne & Payne (1981) refers to <i>striatus</i> (Edwards, 1895) being a misident. of <i>nodosus</i> 2) Wilson et al (2015) states that British specimens of <i>striatus</i> are <i>alienus</i> 3) Records appear to be held in National Records as <i>nodosus</i> Records recorded as <i>Deltoccephalus</i> or <i>Psammotettix striatus</i> treated as unconfirmed. No recent records of <i>Psammotettix striatus</i>
<i>Stiroma albomarginata</i> Curt.	<i>Criomorphus albomarginatus</i> Curtis, 1833	World Auchenorrhyncha Database
<i>Stiroma pteridis</i> Boh.	<i>Ditropis pteridis</i> (Spinola, 1839)	Le Quesne & Payne (1981)
<i>Strongylocephalus agrestis</i> Fall.	<i>Stroggylocephalus agrestis</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Tettigonia viridis</i> L.	<i>Cicadella viridis</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Tettigoniella viridis</i> L.	<i>Cicadella viridis</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Thamnotettix quadrinotata</i> F.	<i>Cicadula quadrinotata</i> (Fabricius, 1794)	mis-spelling/mis-print assumed
<i>Thamnotettix torneella</i> Tett. (sic)	<i>Colladonus torneellus</i> (Zetterstedt, 1828)	<i>Thamnotettix torneella</i> - <i>Thamnotettix torneellus</i> assumed
<i>Thamnotettix antenuatus</i> Germ.	<i>Mocydiopsis attenuata</i> (Germar, 1821)	Le Quesne & Payne (1981)
<i>Thamnotettix aurantipes</i> Edw.	<i>Cicadula aurantipes</i> (Edwards, 1894)	Global Biodiversity Information Facility
<i>Thamnotettix cruentatus</i> Panz.	<i>Idiodonus cruentatus</i> (Panzer, 1799)	Le Quesne & Payne (1981)

Published Name	Scientific name	Source used for resolution
<i>Thamnotettix frontalis</i> H.S.	<i>Cicadula frontalis</i> (Herrich-Schäffer, 1835)	Global Biodiversity Information Facility
<i>Thamnotettix lunulifrons</i> J. Sahlb.	<i>Cicadula intermedia</i> (Boheman, 1845)	No evidence found but ... 1) Le Quesne & Payne (1981) - <i>Limotettix lunulifrons</i> is a synonym of <i>Cicadula intermedia</i> ; 2) Other <i>Cicadula</i> species were named <i>Thamnotettix</i>
<i>Thamnotettix nigricornis</i> Shlb.	<i>Cicadula quinquenotata</i> (Boheman, 1845)	A synonym of <i>Limotettix nigricornis</i> assumed
<i>Thamnotettix persimilis</i> Edw.	<i>Cicadula persimilis</i> (Edwards, 1920)	Global Biodiversity Information Facility - <i>Thamnotettix persimilis</i> is a synonym of <i>Cicadula persimilis</i>
<i>Thamnotettix prasina</i> Fall.	<i>Thamnotettix confinis</i> (Zetterstedt, 1828)	Britten et al amendment - <i>Thamnotettix prasinus</i>
<i>Thamnotettix prasinus</i> Fall.	<i>Thamnotettix confinis</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Thamnotettix quadrinotatus</i> F.	<i>Cicadula quadrinotata</i> (Fabricius, 1794)	Global Biodiversity Information Facility
<i>Thamnotettix subfuscus</i> Fall.	<i>Speudotettix subfuscus</i> (Fallén, 1806)	mis-spelling/mis-print assumed
<i>Thamnotettix subfuscus</i> Fall.	<i>Speudotettix subfuscus</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Thamnotettix sulphurellus</i> Zett.	<i>Elymana sulphurella</i> (Zetterstedt, 1828)	Global Biodiversity Information Facility
<i>Thamnotettix torneellus</i> Zett.	<i>Colladonus torneellus</i> (Zetterstedt, 1828)	Le Quesne & Payne (1981)
<i>Triecphora vulnerata</i> Illig.	<i>Cercopis vulnerata</i> Illiger in Rossi, 1807	1) World Auchenorrhyncha Database - <i>Triecphora</i> is a synonym of <i>Triecphora</i> 2) Le Quesne & Payne (1981)
<i>Typhlocyba aurovittata</i> Dgl.	<i>Lindbergina aurovittata</i> (Douglas, 1875)	Le Quesne & Payne (1981)
<i>Typhlocyba bergmani</i> Tullgr.	<i>Edwardsiana bergmani</i> (Tullgren, 1916)	Le Quesne & Payne (1981)
<i>Typhlocyba betulicola</i> Edw.	<i>Linnauoriana decempunctata</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Typhlocyba bifasciata</i> Boh.	<i>Zonocyba bifasciata</i> Boheman, 1851	British Bugs
<i>Typhlocyba blandula</i> Rossi.	<i>Zygina flammigera</i> (Geoffroy in Fourcroy, 1785)	1) World Auchenorrhyncha Database 2) Whittaker (1908) - qualifies record as (<i>blandula</i> , Auctt.)
<i>Typhlocyba callosa</i> Flm.	<i>Ossiannilssonola callosa</i> (Then, 1886)	Le Quesne & Payne (1981)
<i>Typhlocyba carri</i> Edw.	<i>Fagocyba carri</i> (Edwards, 1914)	Le Quesne & Payne (1981)
<i>Typhlocyba crataegi</i> Dgl.	<i>Edwardsiana crataegi</i> (Douglas, 1876)	Le Quesne & Payne (1981)
<i>Typhlocyba debilis</i> Dougl.	<i>Ribautiana debilis</i> (Douglas, 1876)	Le Quesne & Payne (1981)
<i>Typhlocyba decempunctata</i> Fall.	<i>Linnauoriana decempunctata</i> (Fallén, 1806)	Le Quesne & Payne (1981)
<i>Typhlocyba douglasi</i> Edw.	<i>Fagocyba cruenta</i> (Herrich-Schäffer, 1838)	Le Quesne & Payne (1981)
<i>Typhlocyba fratercula</i> Edw.	<i>Edwardsiana flavescens</i> (Fabricius, 1794)	Le Quesne & Payne (1981)
<i>Typhlocyba frustrator</i> Edw.	<i>Edwardsiana frustrator</i> (Edwards, 1908)	Le Quesne & Payne (1981)
<i>Typhlocyba geometrica</i> Schr.	<i>Edwardsiana geometrica</i> (Schrank, 1801)	Le Quesne & Payne (1981)
<i>Typhlocyba gratiosa</i> Boh.	<i>Fagocyba cruenta</i> (Herrich-Schäffer, 1838)	Le Quesne & Payne (1981)
<i>Typhlocyba lethierryi</i> Edw.	<i>Edwardsiana lethierryi</i> (Edwards, 1881)	Le Quesne & Payne (1981)
<i>Typhlocyba nigriloba</i> Edw.	<i>Edwardsiana nigriloba</i> (Edwards, 1924)	Le Quesne & Payne (1981)
<i>Typhlocyba nitidula</i> F.	<i>Zonocyba bifasciata</i> Boheman, 1851	Le Quesne & Payne (1981) - <i>Typhlocyba bifasciata</i>
<i>Typhlocyba plebeja</i> Edw.	<i>Edwardsiana plebeja</i> (Edwards, 1914)	Le Quesne & Payne (1981)
<i>Typhlocyba rosae</i> L.	<i>Edwardsiana rosae</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Typhlocyba salicicola</i> Edw.	<i>Edwardsiana salicicola</i> (Edwards, 1885)	Le Quesne & Payne (1981)
<i>Typhlocyba scalaris</i> Rib.	<i>Ribautiana scalaris</i> (Ribaut, 1931)	Le Quesne & Payne (1981)
<i>Typhlocyba sexpunctata</i> Fall.	<i>Linnauoriana decempunctata</i> (Fallén, 1806)	1) record qualified as <i>10-punctata</i> , Fall. by Whitakker (1908) 2) Le Quesne & Payne (1981)
<i>Typhlocyba tenerrima</i> H.S.	<i>Ribautiana tenerrima</i> (Herrich-Schäffer, 1834)	Le Quesne & Payne (1981)
<i>Typhlocyba tersa</i> Edw.	<i>Edwardsiana tersa</i> (Edwards, 1914)	Le Quesne & Payne (1981)
<i>Typhlocyba ulmi</i> L.	<i>Ribautiana ulmi</i> (Linnaeus, 1758)	Le Quesne & Payne (1981)
<i>Zygina alneti</i> Dahl.	<i>Alnetoidea alneti</i> (Dahlbom, 1850)	Global Biodiversity Information Facility

Published Name	Scientific name	Source used for resolution
<i>Zygina coryli</i> Toll.	<i>Alnetoidea alneti</i> (Dahlbom, 1850)	Global Biodiversity Information Facility
<i>Zygina neglecta</i> Edw.	<i>Zygina angusta</i> Lethierry, 1874	Le Quesne & Payne (1981)
<i>Zygina pallidifrons</i> Edw.	<i>Hauptidia maroccana</i> (Melichar, 1907)	Le Quesne & Payne (1981)

References

- British Bugs Checklist of UK Auchenorrhyncha: http://www.britishbugs.org.uk/systematic_auc.html
- Britten, H (1930): *Hemiptera – Homoptera. A Checklist of the Fauna of Lancashire and Cheshire (Part 1)*, The Lancashire and Cheshire Fauna Committee, pp. 71 – 75.
- Britten, H et al: *Hemiptera Record Cards*, Manchester Museum.
- Cooke, B (1882): *Contribution to a list of the Homoptera of Lancashire and Cheshire*, The Naturalist - Journal of the Yorkshire Naturalists' Union and General Field Club Record, New Series - Volume VIII, 1882-3, pp. 71 - 73.
- Global Biodiversity Information Facility: <https://www.gbif.org/>
- Le Quesne & Payne (1981): *Cicadellidae (Typhlocybinae) with a Check List of the British Auchenorrhyncha (Hemiptera, Homoptera)*, Handbooks for the Identification of British Insects Vol. II, Part 2 (c), Royal Entomological Society of London, 1981.
- Whittaker, O (1906): *A Preliminary Catalogue of the Hemiptera-Heteroptera of Lancashire and Cheshire*, Thirtieth Annual Report and Proceedings of the Lancashire and Cheshire Entomological Society, Session 1906, p. 32.
- Whittaker, O (1908): *A Preliminary Catalogue of the Hemiptera-Homoptera of Lancashire and Cheshire*, Thirty Second Annual Report and Proceedings of the Lancashire and Cheshire Entomological Society, Session 1908, pp. 19 - 22.
- Whittaker, O. (1915): *Hemiptera - Homoptera in Lancashire and Cheshire*, Lancashire and Cheshire Fauna Committee 2nd Annual Reports and Report of Recorders for 1915, pp. 158 – 160.
- Wilson, M.R., Stewart, A.J.A., Biedermann, R., Nickel, H.& Niedringhaus, R. (2015): *The Planthoppers and Leafhoppers of Britain and Ireland*, WABV-Fründ, Scheefsel.
- World Auchenorrhyncha Database: <https://hoppers.speciesfile.org/>